

MODEL 133 RIVET BUSTER PART # 5216



The APT Model 133 Rivet Buster or a Jumbo Rivet Buster as it is known, was originally designed to cut rivets off metal structures. This model is widely known as a tough, powerful tool, with the ability to perform medium to heavy duty demolition work. At half the weight of the 60 lb class paving breakers, the ratio of its high impact energy versus its weight makes the Rivet Buster series the most efficient tools produced by APT. The Model 133 meets the weight requirements for bridge deck repair work. Rivet Busters are also popular for cutting up underground tanks.

SPECIFICATIONS

Part #	5216		
Bore Diameter (inches)	1-3/16″		
Stroke (inches)	8″		
Blows per Minute	1140		
CFM @ 90 psi	42 - 46		
Weight (lbs)	30		
Length (inches)	22-1/2″		
Air Inlet Size	1/2" FEMALE NPT		

FEATURES

- 8" stroke
- Drop forged, D-style steel handle
- Inside trigger for better control and safety
- Deep case-hardened alloy steel cylinder
- Uses Jumbo extra heavy duty tool steel
- Heavy duty upper and lower sleeves
- Adjustable exhaust deflector

For assistance in any sales, technical, maintenance or repair questions, please call APT @ Phone: (800) 532-7402 or (714) 285-2828 ● Fax: (800) 715-6502 or (714) 285-2829 1000 S. Grand Ave, Santa Ana, CA 92705 Website: www.apt-tools.com ● e-mail: info@apt-tools.com TDS-1040 Rev B



MODEL 1133 RIVET BUSTER PART # 17399



The APT Model 1133 Rivet Buster is a jumbo Rivet Buster with an 11" stroke. This model complements the "classic" 133 Rivet Buster in those applications where heavy demolition force is required. The tool is widely known as being tough and powerful, with the ability to perform heavy demolition work. Rivet Busters are also popular for cutting up underground tanks.

SPECIFICATIONS

Part #	17399		
Bore Diameter (inches)	1-3/16″		
Stroke (inches)	11″		
Blows per Minute	850		
CFM @ 90 psi	48 - 52		
Weight (lbs)	33		
Length (inches)	25-1/2″		
Air Inlet Size	1/2" FEMALE NPT		

FEATURES

- 11" stroke
- Drop forged, D-style steel handle
- Inside trigger for better control and safety
- Deep case-hardened alloy steel cylinder
- Uses Jumbo extra heavy duty tool steel
- Heavy duty upper and lower sleeves
- Adjustable exhaust deflector
- Teflon throttle valve

For assistance in any sales, technical, maintenance or repair questions, please call APT @ Phone: (800) 532-7402 or (714) 285-2828 • Fax: (800) 715-6502 or (714) 285-2829 1000 S. Grand Ave, Santa Ana, CA 92705

Website: <u>www.apt-tools.com</u> • e-mail: <u>info@apt-tools.com</u> T © 2017 AMERICAN PNEUMATIC TOOLS a business unit within: Construction Equipment North America LLC.



MODEL 633 RIVET BUSTER PART # 18341



The APT Model 633 Rivet Buster measures only 20-5/8" in length, delivering more power to those tight spaces. Weighing just 28 lbs, it's perfect for limited access work or whenever a compact, lightweight and powerful tool fits the bill. This tool features an innovative cylinder design that reduces overall weight without compromising tool strength or hitting force.

SPECIFICATIONS

Part #	18341
Bore Diameter (inches)	1-3/16″
Stroke (inches)	6″
Blows per Minute	1100
CFM @ 90 psi	42 - 46
Weight (lbs)	28
Length (inches)	20-5/8″
Air Inlet Size	1/2" NPT Female

FEATURES

- 6" stroke
- Drop forged, D-style handle
- Uses Jumbo extra heavy duty tool steel
- Inside trigger for better control and safety
- Deep case hardened alloy steel cylinder
- Heavy duty upper and lower sleeves
- Adjustable exhaust deflector
- Teflon throttle valve

For assistance in any sales, technical, maintenance or repair questions, please call APT @ Phone: (800) 532-7402 or (714) 285-2828 • Fax: (800) 715-6502 or (714) 285-2829 1000 S. Grand Ave, Santa Ana, CA 92705





New Rivet Buster/Demolition Tool Line adds Pistol Grip Tools Plus enhanced Safety

FEATURES

- New closed nose cylinder captivates piston, thus adding an extra layer of safety.
- Traditional retainer system
- 6", 8" and 11" strokes
- Drop forged, D-style and pistol grip style handles
- Uses Jumbo extra heavy duty tool steel
- Deep case hardened alloy steel cylinder
- Heavy duty upper and lower sleeves
- Adjustable exhaust deflector
- Teflon throttle valve
- Every tool shipped complete with ½" steel braided whip hose (1/2 NPT x standard universal coupler)



Model #	APT Part #	Handle style	Stroke (in)	Weight (lb)	Length (in)
M633CN	18848	D Handle	6	29	20.5
M633CN	18849	Pistol Grip	6	28	21
M133CN	18768	D Handle	8	32	22.5
M133CN	18757	Pistol Grip	8	31	23
M1133CN	18846	D Handle	11	35	25.5
M1133CN	18847	Pistol Grip	11	34	26

For assistance in any sales, technical, maintenance or repair questions, please call APT @ Phone: (800) 532-7402 or (714) 285-2828 • Fax: (800) 715-6502 or (714) 285-2829 1000 S. Grand Ave, Santa Ana, CA 92705

Website: <u>www.apt-tools.com</u> • e-mail: <u>info@apt-tools.com</u> T © 2017 AMERICAN PNEUMATIC TOOLS a business unit within: Construction Equipment North America LLC.

TDS-1170 Rev A