






TABLE OF CONTENTS









Your Productivity Partner

A select group of industry leaders has come together to leverage their core expertise into one powerful network to assist you in improving your refinishing process and increasing your profitability.













To learn how the collective expertise of our industry leaders can boost you shop's bottom line, visit www.refinishsolutionsgroup.com or call 1-800-456-8444 for more information.





An all-new exclusive backing design, Carbo Fire provides extraordinary strength with tear resistance well beyond any flexible paper disc in the market, as much 2-3X. This super-tough, polyester-reinforced D-weight hook & loop backing means exceptional edge adhesion of the grain even in the most demanding automotive sanding applications; so, grain shed is virtually non-existent and the result is outstanding durability.

FEATURES & BENEFITS

- Ultra-premium ceramic grain boosts performance with extremely sharp edges
- · All-new exclusive backing provides extraordinary strength with tear resistance
- Carbo Dri-Lube water-based stearate coating ensures you get a superior finish
- · Carbo Fire removes over 30% more material with considerably less dust




Discs-Grip-On and Clean Air Plus

Carbo Fire starts with the finest design essentials of ultra-premium ceramic grain, proprietary high-strength backing and prevailing anti-clog coating. Then, we add some serious muscle with our most-advanced vacuum science to deliver the ultimate powerhouse of paper discs.



	6" Grip-On	6" Clean Air Plus
GRIT	PART #	PART #
P80	055395 53425	055395 53420
P120	055395 53426	055395 53421
P150	055395 53427	055395 53422
P180	055395 53428	055395 53423
P220	055395 53429	055395 53424







Carbo Medalist is ideal for jobs that require an extremely durable abrasive that cuts fast, plus lasts extra long without generating heat. Engineered ceramic grain is the perfect abrasive to penetrate hard surfaces and achieve both cut and long life.

FEATURES & BENEFITS


- Ceramic grain produces a faster cut rate and is more durable lasting longer, especially in tougher sanding applications
- · Unique fiber reinforced for maximum tear resistance
- · Latex/paper backing is flexible and easy to work with





Discs-Stick-On, Grip-On and Clean Air Plus

Discs with high-performance ceramic grain is the perfect solution for hard-to-sand and self-healing clears. Ideal for scratch resistant clears, E-coat, composites, and aluminum.









Perforated Grip-On Sheet Rolls

Continuous perforated rolls made from high performance, ceramic grain minimize excess waste for board file papers while offering the benefits of a hook and loop system that can be re-used multiple times.

800000			
	2-3/4" x 13 yds	2-3/4" x 13 Yd. Clean-Air Plus	
GRIT	PART #	PART #	
P600B	055395 99592	-	
P500B	055395 99591	_	
P400B	055395 99590	055395 53414	
P320B	055395 99564	055395 53413	
P220B	055395 99565	055395 53412	
P180B	055395 99566	055395 53411	
P150B	055395 99567	-	
P120C	055395 99568	055395 53410	
P80C	055395 99570	055395 53409	
PKG/CASE	1/4	1/4	

CARBO PREMIER RED DRI-LUBE

Ultimate choice for sanding paint and primer





Anti-loading, fast cutting and long lasting premium sandpaper for shops that want to decrease costs by increasing productivity.

FEATURES & BENEFITS

- Premium, P-graded, heat-treated aluminum oxide abrasive for an incredibly fast cut rate and consistent finish
- Red-colored, fiber-reinforced, B-weight, latex-impregnated, paper backing has superior resistance to delamination and tearing and can be used moist
- Advanced bond system with excellent grain adhesion extends the life of the abrasive
- "Anti-load" stearate exhibits superior load resistance



Stick-On Discs and Disc Rolls

Pressure Sensitive Adhesive (PSA) discs stay in place to get the job done quickly. 100 discs per roll.

	5"	6"	8"	6" x 6 hole Vac
GRIT	PART #	PART #	PART #	PART #
P1500B	_	055395 20294 +	_	_
P1200B	_	055395 20295 +	_	_
P1000B	_	055395 20296 +	_	_
P800B	055395 18101	055395 18162	_	_
P600B	055395 18104	055395 18163	_	055395 15297
P500B	055395 63779	055395 63780	_	_
P400B	055395 18105	055395 18164	_	055395 15298
P320B	055395 18106	055395 18165	055395 61102	055395 15300
P280B	055395 18107	055395 18166	_	_
P240B	055395 18108	055395 18167	_	055395 15304
P220B	055395 18109	055395 18168	_	055395 15311
P180B	055395 18110	055395 18169	055395 61106	055395 15312
P150B	055395 18111	055395 18170	_	055395 15313
P120B	055395 18112	055395 18171	055395 61108	055395 15315
P100B	055395 18113	055395 18172	055395 61109	055395 15316
P80B	055395 18114	055395 18173	055395 61110	055395 15317
PKG/CASE	100/400	100/400	100/400	100/400

^{* 6&}quot; P1000 – P1500 are individual discs



Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut and extended disc life.

Č _O					
	3"	5"	6"	5" x 5 hole Vac	6" x 6 hole Vac
GRIT	PART #				
P1500B	055395 69927	055395 20252	055395 20270	_	_
P1200B	_	055395 20253	055395 20271	_	_
P1000B	055395 69926	055395 20254	055395 20272	_	055395 20318
P800B	055395 70022	055395 20255	055395 20274	_	055395 20319
P600B	_	055395 20256	055395 20275	055395 20305	055395 20320
P500B	_	055395 63781	055395 63782	_	055395 63784
P400B	055395 99430	055395 20257	055395 20276	055395 20306	055395 20321
P320B	055395 70021	055395 20258	055395 20277	055395 20307	055395 20322
P280B	_	055395 20259	055395 20278	_	055395 20323
P240B	_	055395 20260	055395 20282	_	055395 20324
P220B	055395 99429	055395 20262	055395 20283	055395 20310	055395 20325
P180B	055395 70020	055395 20263	055395 20284	055395 20311	055395 20326
P150B	055395 99428	055395 20264	055395 20285	055395 20312	055395 20328
P120B	055395 99427	055395 20266	055395 20287	_	055395 20329
P100B	=	055395 20267	055395 20288	055395 20314	055395 20330
P80B	055395 70019	055395 20269	055395 20289	055395 20315	055395 20331
PKG/CASE	50/200	100/400	100/400	100/400	100/400





2-3/4" Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.

2-3/4"
PART #

		2-3/4
GRIT	YARDS	PART #
P400B	45	055395 20332
P320B	45	055395 20333
P240B	45	055395 20334
P220B	45	055395 20335
P180B	45	055395 20336
P150B	45	055395 20337
P120B	30	055395 20338
P100B	30	055395 20339
P80B	25	055395 20340
PKG/CASE		1/5



Body File Strips

These body file sheets are good for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas. Water-based stearate prevents premature loading. Grip-On Hook and Loop backing provides cooler cut and extended life.

	- Com	
	_	_
	Grip-On 2-3/4" x 16-1/2"	Stick-On 2-3/4" x 16-1/2"
GRIT	PART #	PART #
P220B	055395 20470	-
P180B	055395 20471	055395 20459
P150B	055395 20472	_
P120B	055395 20473	055395 20461
P100B	055395 20474	_
P80B	055395 20475	055395 20463
PKG/CASE	50/500	50/500



9" x 11" Sheet


Ultimate choice for dry sanding old paint, primer, primer surfacer, and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

	9" x 11"	
GRIT	PART #	
P1000B	055395 20527	
P800B	055395 14148	
P600B	055395 20528	
P500B	055395 63785	
P400B	055395 20529	
P320B	055395 20530	
P280B	055395 20531	
P240B	055395 20532	
P220B	055395 20533	
P180B	055395 20534	
P150B	055395 20535	
P120B	055395 20536	
P100B	055395 20537	
P80B	055395 20538 +	
PKG/CASE	100/500	
	+50/250	

CARBO PREMIER RED COARSE GRITS

Heavy-duty / Tough / Zirconia Alumina grain





Ultimate choice for sanding body filler, sanding bare metal and stripping paint.

FEATURES & BENEFITS

- Premium zirconia alumina abrasive is self-sharpening grain for super fast cut and long life
- Full phenolic resin bond system plus latex is tough yet flexible and yields excellent grain adhesion
- Red colored, E-weight latex paper backing resists tearing and shredding for a longer life



Stick-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat.

	6"	8"	8" x 8 hole	
GRIT	PART #	PART #	PART #	
80-E	055395 21300	055395 21303	055395 21309	
40-E	055395 21301	055395 21304	_	
36-E	055395 21302	055395 21305	055395 21311	
PKG/CASE	50/200	25/100	25/100	



Grip-On Discs

Ideal for sanding body filler. The zirconia alumina grain micro-fractures to minimize loading, increase cut rate and reduce heat. The hook and loop backing provides air flow to minimize heat and extend the disc life.

de la company de			
	6"	8"	8" x 8 hole
GRIT	PART #	PART #	PART #
80-E	055395 21315	055395 21318	055395 21324
40-E	055395 21316	055395 21319	055395 21325
36-E	_	055395 21320	_
PKG/CASE	<i>25/100</i>	25/100	25/100



Body File Sheets

Premier Red body file sheets come in Clip-On, Stick-On and Grip-On. The self-sharpening zirconia alumina grain improves cut rate, minimizes loading and reduces heat. The durable E-weight latex reinforced paper backing resists tearing and is ideal for sanding body filler.

		Course		Course	
	Stick-On 2-3/4" x 16-1/2"	Grip-On 2-3/4" x 16-1/2"	Clip-On 2-3/4" x 17-1/2"	Grip-On Vac 2-3/4" x 16"	
GRIT	PART #	PART #	PART #	PART #	
80-E	055395 21336	055395 21342	055395 21348	055395 21345	
40-E	055395 21337	055395 21343	055395 21349	_	
36-E	055395 21338	055395 21344	055395 21350	_	
PKG/CASE	50/250	25/125	50/250	25/125	





Ideal for sanding paint and primer.

FEATURES & BENEFITS

- P-graded premium aluminum oxide abrasive produces a fast cut, consistent finish and longer life
- Water-based "anti-load" stearate has excellent load resistance
- Durable B-weight backing is flexible and conformable and has high tear resistance



Stick-On Disc Rolls & Tab Discs

Pressure Sensitive Adhesive (PSA) backing.

	5" Disc Roll	6" Disc Roll	6" Disc Roll	6" Tab Disc
GRIT	PART #	PART #	PART #	PART #
P800B	_	055395 70581	_	_
P600B	_	055395 70580	_	_
P400B	055395 70554	055395 70563	055395 99370	055395 70572
P320B	055395 70553	055395 70562	055395 99371	055395 70571
P240B	_	055395 70561	_	055395 70570
P220B	055395 70551	055395 70560	055395 99372	055395 70569
P180B	055395 70550	055395 70559	055395 99373	055395 70568
P150B	_	055395 70558	_	055395 70567
P120B	055395 70548	055395 70557	_	055395 70566
P100B	055395 70547	055395 70556	_	055395 70565
P80B	055395 70546	055395 70555	055395 99376	055395 70564
PKG/CASE	100/400	100/400	25/100	100/400



Grip-On Discs

Hook and loop backing provides extra cushioning and air flow for a cooler cut plus extended disc life.

ò _{rounn}	6"	
GRIT	PART #	
P800B	055395 99413	
P600B	055395 99414	
P400B	055395 99416	
P320B	055395 99417	
P220B	055395 99418	
P180B	055395 99419	
P150B	055395 99420	
P120B	055395 99421	
P80B	055395 99422	
PKG/CASE	50/200	



Discs

Carbo White Lighting tough E-weight backing resists tearing and extends disc life. Ideal for sanding body filler.

	6" Stick-On	8" Stick-On	Grip-On	8" Grip-On
GRIT	PART #	PART #	PART #	PART #
P80E	055395 99464	055395 99467	055395 53326	666233 53328
P40E	055395 99463	055395 99466	055395 53327	666233 53329
P36E	055395 99462	055395 99465	_	_
PKG/CASE	25/125	25/125	25/100	25/100





Stick-On Sheet Rolls

Pressure Sensitive Adhesive (PSA) Sheet Rolls can be easily cut to any length to stick onto a hand sanding block, file board, or file shoe. Excellent for dry sanding old paint, primer, primer surfacer, and for shaping and finishing plastic filler, and feather-edging repaired areas.



	2-3/4" x 25 yds	
GRIT	PART #	
P400B	055395 99343	
P320B	055395 99344	
P220B	055395 99345	
P180B	055395 99346	
P150B	055395 99347	
P120B	055395 99348	
P80B	055395 99349	
PKG/CASF	1/5	




Body File Sheets

Carbo White Lightning resists tearing and extends product life. Ideal for sanding body filler.

	Grip-On 2-3/4" x 16-1/2"	Stick-On 2-3/4" x 16-1/2"	
GRIT	PART #	PART #	
P220B	055395 99473	_	
P180B	055395 99472	_	
P80B	055395 99469	_	
P80E	055395 53330	055395 99395	
P40E	_	055395 99394	
P36E	_	055395 99393	
PKG/CASE	25/125	25/125	

^{*} Non-Stock



CARBO MIRROR FINISH

Premium grain / Specially-treated backing





Ultimate choice for wet sanding to remove surface imperfections.

FEATURES & BENEFITS


- Premium grain for automotive applications produces a consistent, fast cut
- Flexible backing resists wrinkling, tearing and cracking
- Specially treated waterproof paper backing does not require soaking, is curl resistant and will not deteriorate




Waterproof Sheets

The MirrorFinish design works just as well wet or dry and gives the same cut no matter how you use it. If you prefer the paper to be wet, just spritz and go. Or, if you like to soak your paper, go ahead because MirrorFinish has curl resistance built right in so it stays flat and the product will not deteriorate, no matter how long you leave it in water. Designed specifically for automotive finishes, MirrorFinish is ideal for water and color sanding.

	5-1/2" x 9"	9" x 11"
GRIT	PART #	PART #
2000B	666233 63869	666233 63877
1500B	666233 63870	666233 63878
1200B	666233 63871	666233 63879
1000B	666233 63872	666233 63880
P800B	_	666233 63881
P600B	_	666233 63882
P400B	_	666233 63884
P320B	_	666233 63885
P240B	_	666233 63887
P220B	_	666233 63888
PKG/CASE	50/250	50/250







Good choice for dry sanding old paint, primer, primer surfacer and between color coats. Good for shaping and finishing plastic filler and feather-edging repaired areas. Water-based stearate prevents premature loading.

FEATURES & BENEFITS

- P-graded aluminum oxide abrasive has a ood cut and good life with a consistent finish
- Water-based "anti-load" stearate has good load resistance
- B-weight backing is flexible and conformable as well as tear resistant

Merit PB273 9" x 11" Sheets



	3 4 11	
GRIT	PART #	
P400B	666233 11870	
P320B	666233 11871	
P240B	666233 11879	
P220B	666233 11873	
P180B	666233 11874	
P150B	666233 11875	
P120B	666233 11876	
P100B	666233 11877	
P80B	666233 11878+	
PKG/CASE	100/500 +50/250	







A perfect combination of science technology and industry knowledge brings this new design to the market. A strong, thin film backing with premium aluminum oxide abrasive and a patented resin technology sands flat, resists loading, lasts long and cuts consistently for a finish that's faster to buff out.

FEATURES & BENEFITS

- Patented resin technology for excellent grain adhesion generates a consistent cut and resists loading to extend disc life and eliminate pigtails
- Ultra-thin film backing for maximum flexibility creates an even surface and can conform to irregular surfaces
 resulting in a very consistent finish that is easier to buff out
- R&D integral design of film backing and unique resin system for discs that stay flat for a superior surface finish
- Consistent, water-based stearate application for the ultimate anti-loading properties



Mirror Finish Film Finishing Grip-On Discs

GRIT	COLOR	3" Part #	6" Part #	
P1500	Blue	055395 00596	055395 00608	
P1200	Green	055395 00595	055395 00607	
P1000	Red	055390 05594	055395 00606	
P800	Black	055390 05593	055395 00605	
Back-Up Pad		055390 55457	055395 42089	
PKG/CASE		50/250	50/250	

Medalist Foam Finishing Disc - Moist

Medalist Foam Finishing Discs, used moist, will produce a semi-polished surface that greatly reduces buffing time.

FEATURES & BENEFITS

- Integrated foam backing is conformable to contours eliminating pigtails and costly re-work
- Open mesh design allows for qqual pressure distribution for quicker sanding and an uniform scratch pattern
- Produces a semi-polished finish with quick and easy to buff out











Carbo Finish

FEATURES & BENEFITS

- Water soluble, VOC compliant solution is very easy to clean up
- 1 polish, 3 pads is a simple system that's easy to use with the polish matching the cut of the pad for optimal performance reducing inventory
- Premium micro-fine abrasives removes swirl marks and haze and sand scratches quickly



Carbo Finish Extra-Cut Polish

Carbo Finish Extra-Cut is easy to use and cleans up with just water. One polish and three pads virtually eliminates the chance of cross contamination.

DESCRIPTION	PART #	PART #
Quart	055395 01209	=
Gallon	_	055395 47329
PKG/CASE	1/4	1/2





Carbo Finish Clean-Up/Detailer Spray

The spray detailer easily cleans up excess buffing residue and provides paint protection. Just spray it on and wipe it off with the EZ Wipe Microfiber Cloth.

DESCRIPTION	PART #	PART #
32 oz. Spray Bottle	055395 70533	_
EZ Wipe Microfiber Cloth	_	055395 64024
PKG/CASE	1/4	5/20





3" Pads

Engineered to work with Carbo Finish Extra-Cut polish or Mothers® compounds and polish, the 3" pads are perfect for quick spot repairs.

DESCRIPTION	PART #	PART #
Grip-On Back-Up Pad (5/16"-24)	055395 99306	-
Natural Wool Pad – Step 1	_	055395 01881
Medium Yellow Foam Pad – Step 2	_	055395 69934
Soft Black Foam Pad – Step 3	_	055395 69935
PKG/CASE	10/10	10/40



Buffing/Polishing Pads

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system. These pads also work well with the Mothers® compounds and polish.

DESCRIPTION	PART #	PART #
Grip-On Back-Up Pad (5/8"-11)	055395 70414	-
8" Super Cut Wool Pad	=	055395 70411
9" Yellow Cutting Foam Pad	=	055395 70412
9" Black Finishing Foam Pad	=	055395 70413
PKG/CASE	1/3	1/6



Buffing/Polishing Waffle Pads

These pads are engineered to work with Carbo Finish Extra-Cut Polish to achieve the optimal cut in the least amount of time while producing the best finish. No swirl marks and no cross contamination are benefits to this system. These pads also work well with the Mothers® compounds and polish.







Consistent cut with no wild scratches.

FEATURES & BENEFITS

- Non-woven nylon impregnated with abrasive grain easily conforms to irregular surfaces andresists tearing and can be used wet or dry
- · Advanced coating process for a consistent coverage of grain throughout pad
- · Perforated for easy pad re-sizing

Maroon (320/400)

- · Quick and aggressive cut
- Tear-resistant

Gray (800/1000)

- Quick cut,uniform finish
- Incredibly flexible yet tear-resistant
- · Works with or without Scuff Gel

Gold (1000/1200)

- Ideal for pearls and metallics
- · Works with or without Scuff Gel



Fibratex Hand Pads

Fibratex pads offer a consistently graded grain in an advanced resin system which provides a super fast cut without wild scratches. Choose a maroon pad for primer prep, a gray pad for color prep, or a gold pad for pearls and metallics.

		6" x 9" Pad	6" x 9" Pad	
DESCRIPTION	COLOR	PART #	PART #	
Primer Prep	Maroon	055395 10890	_	
Color Prep	Gray	055395 10891	_	
Clear Blend Prep	Gold	_	055395 30893	
Non Abrasive	White	055395 10892	-	
PKG/CASE		20/60	10/30	



Thin-Flex Scuff Pads and Discs

An incredibly flexible, yet strong product that is perfect for use on contoured surfaces and for getting into tight spaces.

		4-1/2' x 9" Pad	6" Disc	6" Back-up Pad
DESCRIPTION	COLOR	PART #	PART #	PART #
Primer Prep	Maroon	055395 99425	055395 53389	_
Color Prep	Gray	055395 99426	055395 53390	=
Clear Blend Prep	Gold	662611 21524 +	662611 21523 +	=
Back-up Pad		_	_	055395 99323
PKG/CASE		25/100 +10/4	25/100 +10/10	1/1



Perforated Scuff Rolls and Thin-Flex Scuff Rolls


Tear the rolls to the exact length needed to get the job done quickly and correctly. Perforations are every 3". Plastic wrapped rolls dispense easily and keep the product clean. The Thin-Flex roll is also offered in a boxed option.

		4" x 30' Scuff-Plastic Wrap	4" x 30' Thin-Flex-Plastic Wrap	4" x 30' Thin-Flex Boxed
DESCRIPTION	COLOR	PART #	PART #	PART #
Primer Prep	Maroon	055395 53397	055395 53400	055395 53402
Color Prep	Gray	055395 53396	055395 53401	055395 53403
PKG/CASE	•	1/1	1/1	1/3



Scuff Discs

For use on a D/A with a hook and loop back-up pad for faster scuffing.





Foam-Rolls

Soft-Roll Foam pre-cut sheets, conveniently packaged in a roll form 4-1/2" x 82', are ideal for fine sanding on round edges, contours and curves, providing an outstanding finish on primers and top coats. Perfect for waterborne paints. Perforated every 5-1/2".



	4-1/2 X 02	
GRIT	PART #	
P320	055395 99438	
P400	055395 99439	
P500	055395 99440	
P600	055395 99441	
P800	055395 99442	
P1000	055395 99443	
PKG/CASE	1/2	

Grit	Application
P320, P400	Feather-edge, scuff primer, scuff new parts before painting
P500, P600	Prepare panel for base coat
P800, P1000	Sand clear coat, remove minor defects



EZTouch Sponges

The finishing action of sponges generates a finer finish than conventional coated abrasive products. The coarser grit is the finish achieved when sanding dry and the finer grit is finish achieved when sanding wet.

FEATURES & BENEFITS

- Abrasive grain coated on a sponge backing that can be used wet or dry and eliminates finger marks generating a uniform finish
- Grit printed on the back of each sponge to easily identify the right product to use
- Highly conformable which is ideal for bumpers, jambs and small parts and great on contours and edges



1.1	/2"	v	5.	1/2"	v	3	/1	E"


DESCRIPTION	PART #	
Medium	055395 70121	
Fine	055395 70122	
Super Fine	055395 70123	
Ultra Fine	055395 70124	
Micro Fine	055395 70125	
PKG/CASE	20/80	

Grit Designation	Finish Generated	Application
Medium	P180/P120	Scuff, shaping filler
Fine	P400/P320	Feather-edge, scuffing primer, scuffing new parts before painting
Super Fine	P600/P500	Preparing panel for base coat
Ultra Fine	P1000/P800	Sanding base coat, removing clear coat defects
Micro Fine	P1500/P1200	Clear coat sanding, removing minor defects

CARBO FIRE SURFACE CONDITIONING

Extra-coarse ceramic grain / Aggressive cut





Surface Strip discs offer extraordinary stripping power. Ideal for hard-to-reach areas.

FEATURES & BENEFITS

- Open web construction resists loading and is a great alternative to wire brushes and effective on sharp, jagged surfaces
- Synthetic web impregnated with ceramic abrasive produces a very fast, aggressive cut amd will not rust
- · Thick and durable extending the product life




Carbo Fire Surface Strip TR+ Disc

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Rugged design provides long life and continuous cutting action.



	4" TR+	Back-Up Pad		
DESCRIPTION	PART #	PART #	RPM	
Carbo Fire	666233 29282	_	8,000	
Back-Up Pad	_	055395 22538	_	
CASE	5	1		



Carbo Fire Surface Strip Disc with Mandrel

Removes rust and paint from door jambs, seams and difficult to reach areas. Rust free alternative to a wire brush. Mandrel assembly will adapt the disc for use on portable tools. The assembly consists of a mandrel, nut, and two washers.



	4" X 1/4" Hole	Mandrei		
DESCRIPTION	PART #	PART #	RPM	
Carbo Fire	776960 39321	_	6,000	
Mandrel with 3-1/16 x 1/4" shank	-	055395 51776	_	
PKG/CASE	5/25	1/1		



Carbo Fire Flex-Loc TR Surface Strip Disc

Great for removing rust, undercoating, seam-sealers and stone guards. Use in truck beds, door jambs, and hard-to-reach areas like wheel wells and undercarriage. Use to remove oxidation from tire rims and to remove rust from brake assemblies.



	3" TR	Back-Up Pad		
DESCRIPTION	PART #	PART #	RPM	
Carbo Fire	666233 29280	662610 55105	12,000	
PKG/CASE	10/10	10/1		

Fiberglass reinforced



Ultimate choice for cutting out imperfections in autobody panels.

FEATURES & BENEFITS

- Blend of high performance ceramic alumina and zirconia alumina abrasive for super fast and cool cutting action producing 3 times the life of conventional abrasive wheels
- · High performance resin bond for a long wheel life
- · Fiberglass reinforcement maintains structural integrity



Cut-Off Wheels

Premier Red is the ultimate choice for cool, easy, free-cutting of sheet metal, or heavy-duty cutting of muffler clamps, bolts, and steel rods up to 3/4" thick, as well as spot weld grinding.

The 1/32" and 1/16" Premier Red wheels come in durable plastic clam shell package. Hang them on the wall and just grab one when you need it.

Value cut-off wheels are good for sheet metal work, cutting clamps and rusted bolts. Follow all safety precautions.

	Premier Kea	value	
SIZE	PART #	PART #	RPM
3" x 1/32" x 3/8"	055395 03861	_	25,465
3" x 1/16" x 3/8"	055395 03863	055395 01132	25,465
3" x 3/16" x 3/8"	055395 04270	_	25,465
PKG/CASE	5/50	5/50	
Do not use on tool without a guard			







Carbo Premier Red Mini Flap Discs eliminate the conventional 2-step process in grinding, removal, and blending. The abrasive technology used in the Carbo mini-flap discs combined with the layered flap design wear away evenly, producing a high quality and consistent finish.

FEATURES & BENEFITS

- High performance zirconia alumina abrasive provides maximum cut rate and life
- High strength plastic back design is lightweight and absorbs vibration allowing for greater control and technician comfort improving productivity
- 2" and 3" diameter discs get into hard to reach areas and allow for easy storage while maintaining required cut
 and life
- Can be used on high speed die grinders responding to the demand for smaller, ergonomically-friendly tools that
 require less effort, while delivering better results



TR Mini Flap Discs

	2"	3"	
GRIT	PART #	PART #	
120	776960 90128	776960 90138	
80	776960 90126	776960 90136	
60	776960 90124	776960 90134	
40	776960 90122	776960 90132	
36	776960 90120	776960 90130	
PKG/CASE	10	10	

FILE BELTSPremium abrasive grain





Portable File Belts

Portable file belts are designed to be used for spot weld and hem flange removal as well as grinding in other tight areas. The 40 and 60 grit belts are ideal for spot weld removal on steel followed by the 80 grit belts for weld dressing and refinement.

	1/2" x 18" Medalist	1/2" x 18" Aluminum Oxide	3/8" x 13" Aluminum Oxide
GRIT	PART #	PART #	PART #
80	055395 54669	055395 54663	055395 54648
60	055395 54668	055395 54662	055395 54647
40	055395 54666	_	_
PKG/CASE	1/10	1/10	1/10



Non-Woven Portable File Belts

		1/2" x 18" Non-Woven	
GRIT	COLOR	PART #	
Coarse	Brown	055395 54479	
Medium	Maroon	055395 54480	
Very Fine	Blue	055395 54481	
PKG/CASE		1/12	





Ideal for fast stock removal in a small area.

FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- Grinding aid coating produces burn free grinding of heat-sensitive materialsfor longer life and minimal loading
- Heavy-duty backing extends life and reduces edge wear



Carbo Fire Flex-Loc TR Discs

Ceramic self-sharpening abrasive is ideal for high-pressure, heavy metal removal applications.

	(©)			
	2" TR	3" TR		
GRIT	PART #	PART #		
80	055395 99383	055395 99387		
50	055395 99385	055395 99389		
36	055395 99386	055395 99390		
CASE	25	25		

Zirconia Flex-Loc TR Discs





A.A.



Fibratex Flex-Loc TR Surface Blending Discs

Ideal for removing rust and oxides, blending out disc marks, and removing coatings and gasket residues from automotive surfaces. Thick, reinforced non-woven backing is impregnated with tough aluminum oxide abrasive. Advanced resin system will not smear.

		2" TR	3" TR	
GRIT	COLOR	PART #	PART #	
Very Fine – 320	Blue	055395 12506	055395 12509	
Medium – 120	Maroon	055395 12507	055395 12510	
Coarse – 80	Brown	055395 12508	055395 12512	
CASE		50	25	



Carbo Fire Flex-Loc TR Surface Blend Discs

Ideal for removing surface rust, blending out grind marks, and removing coatings from automotive surfaces and will not smear. Carbo Fire Surface Blend can also be used to remove seam sealer and undercoating without loading. The discs are thin enough to get into tight spots but durable enough to last. Carbo Fire ceramic grain ensures a fast cut with long life. Surface Blend TR can be used on the face, side, and back.

	2" TR	3" TR	
DESCRIPTION	PART #	PART #	
Carbo Fire	055395 53332	055395 53333	
CASE	10	10	



Flex-Loc TR Back-Up Pads

Flex-Loc TR are compatible with similar competitive attachment systems.

	4	œ	(3)	
	1" Back-up Pad	2" Back-up Pad	3" Back-up Pad	
DESCRIPTION	PART #	PART #	PART #	
Flex-Loc TR	088341 64037	662610 55103	662610 55105	
CASE	1	10	10	




Carbo-Cut Grinding Discs

Zirconia grain is resin bonded to a unique backing which resists cracking and breaking and can be cut down up to the 1" core. Use the cores to grind "pinch" welds and other hard to reach areas. The 1/4" quick change mandrel is for use on automotive drills.



5" - 7" GRINDING DISCS

Premium performance / Rugged backing for extended life



For grinding applications requiring aggressive cutting action, such as grinding welds, rust, and bare metal, and stripping paint.

FEATURES & BENEFITS

- Premium ceramic and zirconia alumina grain is self-sharpening for consistent, aggressive cut and long life
- · Grinding aid coating for minimal loading and reduced heat
- · Heavy fiber backing provides strength and tear resistance for a longer life



Merit Grinding Discs

High performance ceramic grain is engineered for cool, rapid stock removal with a fast initial cut rate. Superb on stainless steel and steel alloys. Zirconia alumina grain is great on stainless steel and tough jobs. Aluminum Oxide grain is a general purpose disc good for small jobs removing welds and imperfections.

	•	0	0	0	0	0
	5" Ceramic	5" Zirconia	5" A/0	7" Ceramic	7" Zirconia	7" A/0
GRIT	PART #					
50	666233 55599	666233 57292	666233 57278	666233 55595	666233 57297	666233 57285
36	666233 55598	666233 57291	666233 57277	666233 55594	666233 57296	666233 57284
24	666233 55597	666233 57290	666233 57276	666233 55578	666233 57295	666233 57283
CASE	25	25	25	25	25	25



Zirconia Alumina Grinding Discs

Zirconia alumina grain provides a quick initial cut and a self-sharpening action to continuously expose sharp, new cutting points. Ideal for lighter grinding or applications requiring a cool cut to minimize heat build up.

	5"	7"	
GRIT	PART #	PART #	
80	055395 20055	055395 20076	
50	055395 10711	055395 10720	
36 24	055395 10712	055395 10721	
24	055395 10713	055395 10722	
CASE	25	25	



Back-Up Pads for Grinding Discs

Discs are held in place by Retainer Nut # 05539512568.

	5" x 7/8"	7" x 7/8"	
GRIT	PART #	PART #	
Medium	055395 12033	055395 12032	
CASE	1	1	_

MASKING PRODUCTS – MASKING TAPE

A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside



Foam Masking Tape

Foam masking tape fills gaps and produces a soft paint edge. Easy application reduces masking time. The 20mm premium foam tape split design and offset adhesive allows for use on both fixed and moving parts. The 13mm foam tape is for use on fixed parts.

	13mm (1/2")	20mm (3/4")
DESCRIPTION	PART #	PART #
50m Roll	055395 99363	055395 99362
CASE	1	1



Premium Perforated Trim Masking Tape

Trim masking tape is designed to lift the molding away from the surface to be painted and protect the molding from paint and overspray. Trim tape provides full paint coverage without paint "bridging" to the molding. Eliminate the cost of removing and installing moldings by simply protecting them properly during the painting process.

	50mm (2") American brand TrimFast	
DESCRIPTION	PART #	
10m Roll	077922 00268	
CASE	6	



Cloth Duct Tape

Silver polyester cloth tape is highly conformable and moisture resistant. Ideal for general purpose repair applications.

	2" x 60 yds	
DESCRIPTION	PART #	
IPG Duct Tape AC20	077922 74977	
CASE	24	

MASKING PRODUCTS - MASKING PAPER

A complete masking system from Carborundum for full protection of a vehicle inside the shop and outside



White "Paint Check" Masking Paper

Premium white masking paper is corona-treated so paint won't flake off, polycoated to protect against bleed-through, and has a built-in "Paint Check" for convenience. Masking tape can be repositioned without tearing the paper. White paper will not distort lighting during the painting process. This paper is stronger than standard blue paper, but is thinner to better conform to tight curves without tearing.

	6"	12"	18"	24"	36"
DESCRIPTION	PART #	PART #	PART #	PART #	PART #
750' Roll	055395 70582	055395 70583	055395 70584	05539599424**	055395 70585
CASE	1	1	1	1	1

Each 750' boxed case is a 36" log. Dimensions are approximate.

^{** 24&}quot; is a single 24" log.



Mobile Masker

The premium white paper, while incredibly strong, is thinner than standard blue paper and fits perfectly on the masker. The top two tiers can hold up to 12" and the bottom two tiers can hold up to 18".

DESCRIPTION	PART #
Stand	662610 89212
CASE	1







One person can easily cover a vehicle by using the self-dispensing box and the specially folded plastic for quick application.

FEATURES & BENEFITS

- Tri-layer paintable sheeting is easy to handle fast application and clings, even after repositioning
- · Corona-treated so paint won't flake off
- 3-ply resin .4 mil thick resists tearing
- Plastic is resistant to solvents resulting in no bleed-through



EZ Sheet Paintable Plastic

Paint will adhere to the outside layer of plastic, eliminating flake-off. The cling ensures material adheres to the area that is to be protected. EZ Sheet can be cut and painted along the critical edge. Tri-layer plastic is .4 mil thick.

	12' x 400'	16' x 350'	20' x 350'
DESCRIPTION	PART #	PART #	PART #
EZ Sheet	055395 63770	055395 63769	055395 63895
CASE	1	1	1



Overspray Sheeting

"Value" paintable overspray sheeting is a medium-density, corona-treated plastic.

	12' x 400'	16' x 400'	
DESCRIPTION	PART #	PART #	
Overspray Sheeting	055395 70530	055395 06728	
CASE	1	1	



Anchor® Brand Hand Mask

IPG's Anchor® brand Hand Mask is a pre-folded, high density polyethylene masking film designed for multiple transportation applications. The thick and durable 12 micron film is corona treated to resist overspray flaking during paint applications. This special film is designed with a reinforced top edge formulated to prevent the underlying film from sticking. Solvent resistant; no bleed-through and clings to surface. Designed to work with multiple hand dispensers and the 1" core fits most masking machines.

Width Roll Height	24" 5.35"	48" 8.78"	72" 9.57"	99" 13.0"
DESCRIPTION	PART #	PART #	PART #	PART #
54.9m (180') Roll	087143 00214	087143 00216	_	_
27.4m (90') Roll	_	_	087143 00217	087143 00218
CASE	12	12	12	12





EZ Wrap Protective Plastic - Wheel Maskers

Tri-layer plastic. Paintable – NO Flaking. Fully covers both sides of the wheel. Covers wheels up to 17".

DESCRIPTION	PART #
Wheel Maskers (50/roll) Paintable	055395 68511
CASE	1



EZ Wrap Protective Plastic - Self-Adhesive Weather Barrier

Clear film with built in UV inhibitors for interior protection. Don't leave on more than 30 days. Do not expose above 170° F. Do not install on wet or damp surfaces.

DESCRIPTION	PART #
Weather Barrier 36" x 100' (9 lbs.) 3 mil thick	055395 68509
CASE	1



EZ Wrap Protective Plastic - Bucket Seat Covers

Full coverage from headrest to floor. Will not slip or bunch up. Protects seats from grease, dust and chemicals. Perforated roll.

DESCRIPTION	PART #
Bucket Seat Covers (125/roll) Non-Slip	055395 68510
CASE	1



EZ Wrap Protective Plastic - Floor Mats

Will not slip or tear. Protects floor from dirt, grease and chemicals. Perforated roll. Generous size: 16-1/2" x 21"

DESCRIPTION	PART #
Floor Mats (125/roll) Non-Slip	055395 68512
CASE	1

ADHESIVES, SEALERS, AND COATINGS

VOC Compliant / High Quality



Protecting a vehicle against the elements is part of a quality repair. Sealing out wind, water and noise is no easy task, but VOC compliant, high quality products from the Carborundum line of Adhesives, Sealers, and Coatings are up to the challenge.

FEATURES & BENEFITS

- High quality components match OEM color or texture with ultra-fast application and dry time and highstrength bond
- · Complete line with multiple applications with minimal inventory
- V.O.C. compliant for a safer work environment



✓voc

Urethane Windshield Sealer

A one-part urethane adhesive sealant for windshield and backlite installations. Easy handling, fast-set properties, excellent shelf life. Passes Motor Vehicle Safety Standard #212 windshield barrier test and #216 crush test.

DESCRIPTION	SIZE	PART #
Urethane Windshield Sealer	11 oz / Net 10.5 oz	055395 99447
CASE		12



✓voc

Urethane Seam Sealer

A one-component, polyurethane seam sealer that cures quickly to a permanent, flexible sealant designed for sealing interior and exterior automotive and RV body joints and seams and duplicates OEM appearance. Can be smoothed to a featheredge and/or brushed and will not shrink or crack. Paintable in 1 hour. Flexible foil package eliminates product waste. Use with Application Gun #82786.

DESCRIPTION	SIZE	PART #
Urethane Seam Sealer	10.3 oz	055395 99450
CASE		6



Application Gun for 99450

Designed for use with Carborundum Urethane Seam Sealer (#99450). This is a fully enclosed metal unit, which provides fast and efficient application of seam sealer material. Low ratio mechanism allows for easy pumping and precise application of sealant.

DESCRIPTION	PART #
Application Gun for 99450	076607 82786
CASE	1

ADHESIVES, SEALERS, AND COATINGS

Match OEM Textures / Increase productivity



VVOC

Panel and Adhesive Cleaner

Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces. Aggressive cleaner is safe to use on most paint applications. Packaged with squirt dispenser. Use as directed.

DESCRIPTION	SIZE	PART #
Panel and Adhesive Cleaner	32 oz	055395 99459
CASE		12



✓voc

Rocker-Panel Texture Coat

A rapid drying, flexible, abrasion resistant protective coating that can be varied to match OEM textures found on rocker panels and valances. Paintable in 60 minutes. Highly chip resistant.

DESCRIPTION	SIZE	PART #	
Rocker-Panel Texture Coat (White)	16 oz / Net 13 oz	055395 99453	
Rocker-Panel Texture Coat (Black)	16 oz / Net 13 oz	055395 99454	
CASE		6	



✓voc

Premium Rubberized Undercoat - Paintable

Paintable and fast-drying rubberized undercoat for rust-prevention, sound deadening and chip resistance to fenders, undercarriages, quarter panels, wheel wells, decks, and hoods. Excellent adhesion to painted and unpainted surfaces. Resists rust and abrasion as it seals out dust and moisture.

DESCRIPTION	SIZE	PART #
Premium Rubberized Undercoat — Paintable	24 oz / Net 17.75 oz	055395 99455
CASE		6



✓voc

Rubberized Undercoat

Seals out rust, fumes, heat and cold, while protecting underbody areas. Excellent adhesion that won't crack or chip under normal conditions. Engineered to protect underbody areas from moisture and abrasion while deadening sound. Fast drying and economical.

DESCRIPTION	SIZE	PART #
Rubberized Undercoat	20 oz / Net 16 oz	055395 99456
CASE		6



VVOC

Carbon Black Guide Coat

Provides the technician with a visual aid to ensure primed surfaces are totally smooth and even. A quick and efficient method to find uneven and low spots on body filler, primer, glazing putties, and other repair components.

DESCRIPTION	SIZE	PART #
Carbon Black Guide Coat	16 oz / Net 10.5 oz	055395 99457
CASE		6

ADHESIVES, SEALERS, AND COATINGS

Pressure-sensitive bonding



VVOC

Black Power Guide Coat

Ideal for identifying imperfections in primer and body filler that need to be sanded out to ensure a flat finish. Simply apply the applicator with the Black Powder Guide Coat over the area to be sanded, and continue sanding until the powder is no longer visible on the surface. This product does not have a dry time and can be sanded immediately, and it can be sanded using either wet or dry sanding methods.

DESCRIPTION	SIZE	PART #
Black Powder Guide Coat	100 grams	055395 53346
CASE		6



Premium Automotive Attachment Tape

High-density gray foam tape coated with high strength acrylic adhesive on both sides and a red polyethylene release liner is designed for bonding medium to large moldings and accessories. High strength acrylic adhesive provides superior adhesion to plastics, metal, glass,, and painted vehicle surfaces.

- Used for attaching body side moldings, cladding, door edges, emblems, interior trim, rocker panel moldings, and pillar covers
- Remains flexible at low temperatures

	1/4"	1/2"	7/8"	
DESCRIPTION	PART #	PART #	PART #	
20 Yard Roll .045" Thick	055395 67381	055395 67378	055395 67379	
CASE	12	12	12	



Attachment Tape Adhesion Promoter

Carbo Attachment Tape Adhesion Promoter is a liquid primer to improve the adhesion of Carbo automotive attachment tapes to exterior and interior trims involving injection molded and/or plastics (TPO, PPO, PP, PC, etc.). The convenient dauber style container neatly dispenses the ideal amount of product for optimal adhesion.

	4oz. Dauber
DESCRIPTION	PART #
Attachment Tape Adhesion Promoter	055395 53395
CASE	6



Designed to enhance autobody applications.

FEATURES & BENEFITS


- High-quality, durable components for long life
- Cost effective
- Ergonomic design minimize fatigue



Carborundum Autobody Utility Cabinet

Rugged, heavy gauge steel with two adjustable shelves and a security latch for locking doors. Store abrasives, tapes, and chemicals, while keeping them clean, dry, and secure. Weight: 55 pounds.

DESCRIPTION	SIZE	PART #
Automotive Utility Cabinet	31-1/2" w x 26" h x 12-1/2" deep	055395 33867
CASE		1



Adhesives and Sealers Cabinet

Heavy-gauge steel will hold all of the Carborundum adhesives and sealers, keeping them clean, dry, and secure.

DESCRIPTION	SIZE	PART #
Adhesives and Sealers Cabinet	30" w x 26" h x 10" deep	055395 99365
CASE		1



Carbo Cart

The Carbo Cart is made of heavy gauge steel painted "Carbo" red. The front panel is a "hook" design to attach all "hook and loop" products. Pre-drilled holes in the back panel allow attachment of all Carbo dispenser systems.

DESCRIPTION	SIZE	PART #	
Carbo Cart	31" h x 22" l x 14-1/4" deep	055395 20486	
CASE		1	



Automotive Disc Roll and Sheet Roll Dispensers

These bright red dispensers feature heavy duty construction and a rubberized finish, designed to protect your product as well as the finish of your workpiece. They are versatile, for use with any 5" or 6" disc roll or 2-3/4" sheet roll. They can be attached to a wall, mounted on a Carborundum Utility Cabinet or Cart or stacked upon other Carborundum dispensers.

DESCRIPTION	PART #
Single Disc Roll Dispenser	055395 20361
Double Disc Roll Dispenser	055395 20299
Sheet Roll Dispenser	055395 20523
CASE	1



Ergonomic Sanding Blocks

Stick-On - Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. The embossed rubber face allows for good adhesion of PSA sheet rolls.

Stick-On - Firn

Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. The embossed rubber face allows for good adhesion of PSA sheet rolls.

Grip-On - Soft

Constructed of flexible, yet tough, foam and shaped to fit comfortably in your hand. The design is good for both flat surfaces as well as contours. Works with standard hook and loop sheets.

Grip-On — Firm

Constructed of durable material and shaped to fit comfortably in your hand. The firm design produces a true, flat surface. Works with standard hook and loop sheets.

	S 100000	Sociono.	Some.	Somoon .
	2-3/4" x 5"	2-3/4" x 7-3/4"	2-3/4" x 5"	2-3/4" x 7-3/4"
DESCRIPTION	PART #	PART #	PART #	PART #
Soft – PSA	055395 70401	_	_	_
Firm – PSA	055395 70402	055395 70405	_	_
Soft – Grip-On	_	_	055395 70403	_
Firm – Grip-On	_	_	055395 70404	055395 70406
CASE	5	5	5	5



Ergonomic Hand Sanding Block for 6" Discs

The unique design quickly converts a 6" diameter PSA or hook and loop disc into a hand sander. The ergonomic design of the pad fits the user's fingers for added comfort and reduced fatigue.

		O (Marin
DESCRIPTION	PART #	PART #
For 6" Stick-On Discs	055395 63898	_
For 6" Grip-On Discs	_	055395 63897
CASE	5	5



Dual Density Wet Sanding Sof-Block

Because of the "grabbing" power of these blocks, no adhesive is required, simply wrap the paper around the block. The dense side is for more aggressive blocking, while the soft side is for color sanding. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
Sof-Block	055395 63899
CASE	12



EZ Block

A rugged, semi-rigid, multi-purpose sanding block engineered for flat to medium curved surfaces. A tactical hole patter side provides numerous cutting edges to create a 30% faster cut rate. The plain side provides firmness and a comfortable, easy-to-hold surface. These blocks come in a "point of purchase" display pack.

DESCRIPTION	PART #
EZ Block	055395 63900
CASE	8



Stick-On Sanding Board

The Stick-On Sanding Board has a cushioned surface. There are slots at each end to securely hold 2-3/4" x 17-1/2" abrasive sheets or may be used with 2-3/4" x 16-1/2" PSA sheets.

DESCRIPTION	PART #
Stick-On Body File Sanding Board	055395 12013
CASE	6



Grip-On Sanding Board

The Grip-On Sanding Board has a lightweight, rugged design. This sanding board is designed to be used with 2-3/4" x 16-1/2" hook and loop sheets.

DESCRIPTION	PART #
Grip-On Body File Sanding Board	055395 12014
CASE	5



Grip-On Air File Shoe

The Grip-On Air File Shoe eliminates the need for clips. The quick-change backing positively locks and unlocks every time, for fast, easy-to-manage use of hook and loop file sheets.

DESCRIPTION	PART #
Grip-On Air File Shoe	055395 12015
CASE	1



3" Back-Up Pad

For spot removal or buffing, the Grip-On faced pad works perfectly with our wool and foam polishing pads and all 3" Grip-On discs.

DESCRIPTION	PART #	
Grip-On Back-Up Pad (5/16"-24)	055395 99306	
CASE	10	

ACCESSORIES

A consistent surface for increased productivity when sanding



Carbo Back-Up Pads

Two back-up pad profiles and two densities give you all the options you need for any sanding job. Durable polyurethane foam on a fiberglass backing plate provides a consistent surface for a consistent finish. All pads are individually spin-balanced for better control and performance on all tools. Each pad is protected by a sturdy, clam shell package ready for pegboard display. A cap protects the threaded spindle and two washers are included for proper fit and spacing on any D/A tool.

Define the Job, Then Pick the Pad

JOB TYPE:	COARSE TO MEDIL	JM GRIT SANDING	COARSE TO MEDI	UM GRIT SANDING	MEDIUM TO FINE	GRIT SANDING	
PAD TYPE:	Tapered Edge, Med	dium Density	Low Profile, Medium Density		Low Profile, Soft I	Low Profile, Soft Density	
	(Flexible edge, eas	y to reach small contours)	(Hard edge)	•	(Soft, thicker foam	for contours)	
GRIT RANGE:	320 and Coarser	,	320 and Coarser		320 and Finer	,	
MAX. RPM:	15,000 RPM		15,000 RPM		12,000 RPM		
		O00000		Scount		O COUNTY	
	PSA	Grip-On	PSA	Grip-On	PSA	Grip-On	
DESCRIPTION	PART #	PART #	PART #	PART #	PART #	PART #	
5" Plain Face	055395 99317	055395 99321	055395 99309	055395 99313	055395 99304	055395 99307	
6" Plain Face	055395 99319	055395 99323	055395 99311	055395 99315	055395 99305	055395 99308	
5" Vacuum	055395 99318	055395 99322	055395 99310	055395 99314	-	-	
6" Vacuum	055395 99320	055395 99324	055395 99312	055395 99316	_	_	
CASE	5	5	5	5	5	5	

Most popular SKUs are shown in red

Pads have a riveted 5/16"-24 threaded spindle and are made with polyurethane foam with a fiberglass back plate.





8" Back-Up Pads

All pads have 5/8-11 threaded shank.

			Count	Coura
DESCRIPTION	RPM	PART #	PART #	PART #
8" x 1/2" Stick-On	6,000	055395 12023	_	_
8" x 1/2" Grip-On	4,800	_	055395 12030	_
8" VAC/Non-VAC Grip-On 5 Screw	1,500	_	_	636425 43712
8" VAC/Non-VAC Grip-On 6 Screw	1,500	_	_	636425 43714
CASE		5	5	1



Foam Interface Pads

Constructed of soft, durable foam for use with Grip-On back-up pads. The interface pad allows the technician to get in closer to most edges and to better follow contours.

		O O Grant	Commercial	O O O O O O
DESCRIPTION	THICKNESS	PART #	PART #	PART #
3" Thin Interface Pad	1/2"	636425 05457	_	_
6" Thin Interface Pad	1/2"	_	636425 42089	_
5" Foam Interface Pad	3/4"	_	_	055395 20521
6" Foam Interface Pad	3/4"	_	_	055395 20520
PKG/CASE		10/10	5/5	2/20



Disc Hand Pads

The 3/8" thick pad is composed of neoprene and foam, for excellent conformability. Each pad has an elastic hand strap to hold it firmly in place when used with a 6" Grip-On disc for scuff sanding flat or contoured surfaces.

The half moon pad uses a 6" Grip-On disc which adheres to the hooks on the pad face. The straight edge of the pad allows the technician to sand contours and narrow crevices.

	- Comm
DESCRIPTION	PART #
6" x 3/8" Thick Soft Foam Grip-On with strap	636425 00906
6" Half Moon Grip-On	636425 00904
CASE	10



Carbo CleanAir Back-Up Pads

Innovative design optimized for maximum air flow and powerful dust extraction. The medium pads are engineered with a durable urethane foam, heat-resistant plastic, a molded-in 5/16"-24 spindle, and hooked face. The soft pad is packed with a Festo adapter, two threaded bolts: M8 and 5/16"-24 and three fiber ring spacers. The soft pad is only for use on extreme contours using Grip-On 320 grit and finer.

		Commu	σ_{0aa}
		6"	6"
DENSITY	RPM	PART #	PART #
Medium	15,000	636425 0616 0) –
Soft	7,700	_	055395 99338
CASE		1/5	1



Pin Stripe Removal Wheel

This wheel is designed to remove pinstripes, decals and molding adhesive without damage to the underlying surface. Tan colored, it is 4" diameter, 5/8" thick with a 1/16" step and has a 5/16"-24 attached threaded mandrel.

DESCRIPTION	RPM	PART #	PART #
4" x 5/8" x 5/16"-24 Mandrel	4,000	055395 67390	_
3/8" Drill Adapter for #67390		_	055395 60773
CASE		5	1



POWER IN PARTNERSHIP

The Refinish Solutions Group delivers an integrated products and services network represented by Saint-Gobain while maintaining the product and technical expertise of the network partners. This unique alliance of industry leaders is committed to helping collision shops optimize their refinish processes and outcomes to improve shop profitability.

The ICAR training and operational best practices provided by the solutions group partners

ensures your technicians are up-to-date with the latest technologies and process advancements. Refinishing operations that utilize our training and best practices can lower costs and boost critical CSI scores while improving procedural consistency of all technicians.

CORE COMPETENCIES

The Refinish Solutions Group manufacturers bring focused expertise and know-how to deliver a single, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality.



To learn how the collective expertise of our industry leaders can boost you shop's bottom line, visit www.refinishsolutionsgroup.com or call 1-800-456-8444 for more information

MERICAN.

CARBORUNDUM





REVvive by RSG is a line of non-abrasives products designed to complement the brands featured under the Refinish Solutions Group umbrella.

REVvive by RSG Aerosols

REVvive by RSG Aerosols bring performance and quality together for the ideal spot repair solution.

Coatings

REVvive by RSG Coatings are ideal for restoring the original appearance in a cleaner, durable, corrosion-free solution that can be used on almost any surface.



E-Coat

- Super-durable coating provides outstanding corrosion protection
- Used as DTM primer or as a single coating to match the original OEM appearance
- Compatible with most basecoats
- Excellent adhesion over bare metal and paints and primers

DESCRIPTION	COLOR	PART #	SIZE	CASE	
e-Coat	Black	666233 91015	12.6 oz	6	
e-Coat	Grey	666233 91016	12.7 oz	6	
e-Coat	Olive Green	666233 91017	12.8 oz	6	
e-Coat	Light Green	666233 91018	12.7 oz	6	
e-Coat	Tan	666233 91019	12.9 oz	6	



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, Aluminum, bare steel, galvanized, SMC, fiberglass, and polyester body filler.



Dry Guide Coat

- Identify surface defects when sanding fillers or primers
- Convenient aerosol application provides no waste and clean-up
- Dries instantly
- Does not clog abrasives
- · Use when dry or wet sanding

DESCRIPTION	COLOR	PART #	SIZE	CASE	
Dry Guide Coat	Black	666233 91008	10.9 oz	6	



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, fiberglass, and polyester body filler.



Trim Black

- Restores trim back to original condition
- No adhesion promoter required
- Excellent coverage
- · Maintains flexibility

DESCRIPTION	PART #	SIZE	CASE
Satin Trim Black	666233 91013	10.9 oz	6
Matte Trim Black	666233 91014	11 oz	6



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, lightly abraded E-Coat, TPO, EDPM, and polypropylene.





Primers

REVvive by RSG present a full line of Primers with exceptional adhesion and corrosion protection in an easy-to-sand, fast drying solution for all repairs.



Weld-Thru Primer

- · Excellent adhesion
- High concentration of zinc or copper for greater corrosion protection
- Superior conductivity while Resistance Spot, MIG and TIG welding
- · Fast drying for maximum efficiency

DESCRIPTION	PART #	SIZE	CASE
Zinc Weld-Thru Primer	666233 91000	12.5 oz	6
Copper Weld Thru Primer	666233 91001	12.5 oz	6



SUBSTRATES:

Can be applied direct to metal, galvanized steel and aluminum.



High Build Primer

- Fills uneven surfaces prior to top coating
- Ideal for spot repairs
- Includes 2 nozzles flat fan and round for versatility in film build
- · Easy to sand

DESCRIPTION	COLOR	PART #	SIZE	CASE
High Build Primer	Gray	666233 91007	12 oz	6



SUBSTRATES:

Can be applied directly to metal, prepared OEM painted surfaces, aluminum, galvanized steel, SMC, fiberglass, lightly abraded e-Coat, polyester body fillers, GRP.



Universal Primer

- Direct adhesion to both metal and flexible plastics
- Fast drying and easy to sand- ideal for small rub through areas and localized repairs
- · No adhesion promoter or etch primer required
- Can be top-coated with most water or solvent based paints

DESCRIPTION	COLOR	PART #	SIZE	CASE
Universal Primer	Gray	666233 91003	11.2 oz	6



SUBSTRATES:

Can be applied to prepared OEM-painted surfaces, Aluminum, galvanized steel, directly on to metal, SMC, Fiberglass, lightly abraded E-Coat, TPO, EDPM, polypropylene.



Acid Etch Primer

- One-step etch and prime formula prevents corrosion and promotes paint adhesion
- For use priming bare metal surfaces
- Ideal for rub-throughs
- No sanding required- can be directly top-coated

DESCRIPTION	COLOR	PART #	SIZE	CASE	
Acid Etch Primer	Gray	666233 91010	12.9 oz	6	



SUBSTRATES:

Can be applied to fully cured paint, Aluminum, galvanized & zinc-coated steel, bare steel, polyester body fillers, GRP.





Cleaners

Cleaners from REVvive by RSG eliminate contaminants on all surfaces for a completely clean finish.



Surface Degreaser

- Anti-silicone degreaser
- Wipes clean without leaving surface residue
- Fast evaporating and ideal for spot repairs
- Use on bare metal and painted surfaces

DESCRIPTION	PART #	SIZE	CASE
Surface Degreaser	666233 91009	9.9 oz	6



SUBSTRATES:

Direct to metal, prepared OEM paint surfaces, aluminum, galvanized, SMC, fiberglass, lightly abraded E-Coat.







REVvive by RSG pads have a unique CCS waffle design that resolves the common problems of the traditional waffle.

Benefits of CCS Design

REVvive BY RSG foam pads are manufactured using the finest engineered foams specifically designed for cutting, polishing, and finishing. They are thermally reticulated with an open cell structure, which allows air to circulate through the pad reducing heat build-up.

- Slower rate of absorption enhancing polish performance
- Gradually releases compound as needed by the operator enhancing pad and compound performance
- · Reduces surface contact resulting in less friction generated heat
- Diminishes surface friction allowing operator to run pad flat preventing skipping

Three Proven Professional Foam Formulations:

- White Cutting Foam—for removing sanding scratches, deep scratches, oxidation, and weathered paint
- Black Polishing Foam— to remove light swirl marks
- Blue Finishing Foam

 for use with a final polish or glaze to create exceptional shine



Single-Sided Pads

REVvive BY RSG Single-Sided Pad has a beveled edge design to allow access under trim and improve user control. The recessed back provides accurate alignment for balance and protects against backing plate contact.

Back-Up Plate

The REVvive BY RSG back-up plate is intended for use with the REVvive BY RSG single-sided foam pads.

DESCRIPTION	PART #	CASE
8" Single-Sided CCS Waffle Foam Pad - White	666233 91306	6
8" Single-Sided CCS Waffle Foam Pad - Black	666233 91307	6
8" Single-Sided CCS Waffle Foam Pad - Blue	666233 91308	6
Back-up Plate	666233 91314	6



Double-Sided Foam Pads

REVvive BY RSG Double-Sided Pad has a highly engineered center plate designed to minimize pad hop or chatter with the perfect amount of flexibility when buffing contours.

Wool Pad

The REVvive BY RSG Double-Sided Wool Pad is a 100% steamed and twisted white wool designed to eliminate severe swirls, scratches or heavy oxidation from sanded or wet sanded refinished paint surfaces.

DESCRIPTION	PART #	CASE
8" Double-Sided CCS Waffle Foam Pad - White	666233 91310	6
8" Double-Sided CCS Waffle Foam Pad - Black	666233 91311	6
8" Double-Sided CCS Waffle Foam Pad - Blue	666233 91312	6
Double-Sided Pad Adapter	666233 91313	6
8" Double-Sided Cutting Wool Pad	666233 91309	6

Leaves no residue / Conforms to irregular surfaces







For the best finish, get the best start.

For more than 50 years, the American name has been recognized for innovative and high-quality tape. Proudly made in the USA by Intertape Polymer Group, American brand tapes are engineered from quality materials designed to withstand heat, solvents and waterborne materials typical of refinishing operations.



American® Brand Orange Mask®

American® brand Orange Mask® (OM) is a high performance masking tape developed to provide superior adhesion, UV resistance for up to 3 days. OM fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver clean crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

	54.8M (60YD) ROLL		
DESCRIPTION	PART #	CASE	
6mm (.25in)	087143 00579	38	
12mm (.50in)	087143 00577	72	
18mm (.70in)	087143 00306	48	
24mm (.94in)	087143 00307	36	
36mm (1.41in)	087143 00308	24	
48mm (1.88in)	087143 00309	24	
72mm (2.83in)	087143 00690	16	
American® Brand PG			



American® brand PG is a high quality masking tape with good quick stick and holding properties and excellent cornering. PG is designed for clean and easy removal from a variety of hot or cold surfaces. UV resistance for 3 days. PG fine crepe paper backing unwinds and applies smoothly and removes cleanly to deliver crisp paint lines. Resistant to temperatures up to 250°F (121°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through. Superior for wet sanding applications and resists paint flaking.

	54.8M (60YD) ROLL		
DESCRIPTION	PART #	CASE	
6mm (.25in)	087143 00587	36	
12mm (.50in)	087143 00586	72	
18mm (.70in)	087143 00310	48	
24mm (.94in)	087143 00311	36	
36mm (1.41in)	087143 00312	24	
48mm (1.88in)	087143 00313	24	
72mm (2.83in)	087143 00581	16	



American® Brand AM

American® brand AM is the cost-effective solution designed for clean and easy removal. UV resistance for 3 days. AM tape has a controlled unwind, is good for cornering and is resistant to temperatures up to 225°F (107°C) for 30 minutes. Excellent adhesion to backing when layered. Stain resistant; resists bleed-through and resists paint flaking. Superior for wet sanding applications.

	54.8M (60YD) ROLL		
DESCRIPTION	PART #	CASE	
18mm (.70in)	087143 00314	48	
24mm (.94in)	087143 00315	36	
36mm (1.41in)	087143 00316	24	
48mm (1.88in)	087143 00317	24	
72mm (2.83in)	087143 00580	16	







American® Brand MP

Capable of withstanding oven temperatures up to 250°F (121°C) for one hour, MP provides higher temperature resistance versus most general purpose masking tapes. MP provides controlled unwind, good cornering, excellent adhesion to backing when layered, and is superior for wet sanding, and resists paint flaking. MP is also UV resistant for up to 3 days with clean removal. Moisture- and stain-resistant, its specially designed adhesive sticks firmly and securely to most surfaces and removes cleanly.

	54.8W (bUYD) KULL	
DESCRIPTION	PART #	CASE
18mm (.70in)	087143 00499	48
24mm (.94in)	087143 00500	36
36mm (1.41in)	087143 00501	24
48mm (1.88in)	087143 00502	24



American® Brand UG

An economical, yet very reliable masking tape to meet the needs of most collision repair and refinish shops. UG offers an excellent balance of quick stick, panel adhesion and holding properties. Under normal temperature conditions, UG is the tape of choice for fast, basic service, including wet-stripping. UG provides good cornering, temperature resistance up to 175°F (80°C) for 30 minutes, UV resistance for up to 3 days, excellent adhesion to backing when layered, controlled unwind, clean removal; stain resistant; resists bleed-through, and resists paint flaking.

	50M KULL		
DESCRIPTION	PART #	CASE	
18mm (.70in)	077922 88400	48	
24mm (.94in)	077922 88401	36	
36mm (1.41in)	077922 88402	24	
48mm (1.88in)	077922 88403	24	



American® brand GT

American® Brand GT masking tape is the newest, most cost effective masking tape specifically designed to perform in the automotive refinishing market. American brand GT is capable of withstanding oven temperatures up to 225°F (107°C) for one hour with clean removal. GT provides excellent adhesion to a multitude of surfaces and is formulated to ensure a secure bond to the surface and to prevent lifting or overspray. The flexible backing ensures that you will be able to conform around any surface!

	54.8M ROLL	
DESCRIPTION	PART #	CASE
18mm (.70in)	07792200552	48
24mm (.94in)	07792200553	36
36mm (1.41in)	07792200554	24
48mm (1.88in)	07792200555	24



American® Brand FM35 Blue Fine Line

The American® brand FM35 fine line tape offers superior conformability, secure laydown and consistently straight lines. The fine line FM35 tape is ideal for detailed design work, striping, two-tone paint schemes and masking around critical areas such as headlights. The FM35 is preferred for medium to high temperature applications, where a sharp fine line is required including composite and fiberglass (gelcoat) fabrication. It's designed to offer a high degree of conformability, solvent — resistance and is waterproof with an operating temperature range of 40°F to 280°F (4.4°C to 138°C). From basic paint jobs to detailed designs, American® brand FM35 fine line masking tape is your solution!

	32.9M (36YD) ROLL		
DESCRIPTION	PART #	CASE	
3.17mm (1/8in)	662611 82688	15	
6.35mm (1/4in)	662611 82686	14	
12.7mm (1/2in)	662611 82685	13	



American® Brand Premium Masking Film featuring PG21 Masking Tape

Stain resistant, temperature resistant, PG21 paper masking tape combined with strong, corona-treated HDPE film for industrial, marine and automotive painting. The solvent and moisture resistant film permits worry-free wet sanding preparation and allows for easy cornering and masking of curved surfaces. Repositionable, heat resistant rubber based pressure-sensitive adhesive provides a secure hold to and clean removal from most surfaces in both warm and cold environments. Film is pre-taped and pre-folded for easy use. One person can apply then extend the film to desired length to protect surfaces, reducing masking time and waste.

	35M (115FT) ROLL	
DESCRIPTION	PART #	CASE
533mm (21in)	699573 18100	40
1093mm (43in)	699573 18101	20
1830mm (72in)	699573 18102	20
18103mm (120in)	699573 18103	12







Crash Tested. OEM Approved.

Fusor's product line is known for its innovative OEM approved products and expertise in providing collision repair adhesive solutions. Fusor's leading adhesives, sealers and plastic repair solutions combined with the product portfolio and strong sales team of the Refinish Solutions Group provide you with a one-stop, comprehensive refinishing solutions system to increase productivity, reduce cycle time, and improve quality.

PART #	DESCRIPTION	WORK TIME	HANDLING / CLAMP TIME	PAINT TIME	FULL CURE	SUBSTRATES	CHEMISTRY	COLOR
808498 10035 808498 10007	Fusor 110B/111B Metal Bonding Adhesive (Fast)	5 min	Immediately when mechanically fastened / 20 min	_	2 hours	Steel and aluminum	Acrylic 2K	Green
808498 10005 808498 10006	Fusor 108B/109B Metal Bonding Adhesive (Med.)	40 min	Immediately when mechanically fastened / 2 hours	-	4 hours	Steel and aluminum	Acrylic 2K	Green
808498 10036 808498 10008	Fusor 112B/113B Metal Bonding Adhesive (Slow)	70 min /	Immediately when mechanically fastened / 3 hours	-	8 hours	Steel and aluminum	Acrylic 2K	Gray
808498 10175	Fusor 208B Panel Bonding Adhesive (Slow)	90 min	Immediately when mechanically fastened / 4 hours / 30 min @ 140°F (60°C)	Immediately	24 hours / 1 hour @ 140°F (60°C)	Steel, aluminum and SMC/FRP	Ероху 2К	Gray
808498 10172	Fusor 2098 Crash Durable Structural Adhesive (Slow)	90 min	Immediately when mechanically fastened / 6 hours / 30 min @ 140°F (60°C)	24 hours / 30 min @ 140°F (60°C)	24 hours / 2 hours @ 140°F (60°C)	Steel, aluminum, FRP	Epoxy 2K	Blue

Technical data reported @ 70°F (21°C) unless noted.



Metal Bonding Adhesive (Fast) | BARE METAL

Applications: Patch panel bonding and weld bonding of properly prepared dissimilar metals, cab corners, panel sections and aluminum trailer repair patches

Features & Benefits:

- Fast cure
- · No welding required
- Guaranteed corrosion protection

OEM Approvals:

GM: Panel bonding per GM aftermarket

spec GM6449G

Nissan: Patch panel and corrosion repair

Mazda: Corrosion repair Ford: Weld and rivet bonding Honda: In-plant repair

SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Green	110B	808498 10035	6
1.7 oz (50 mL)	Green	111B	808498 10007	12



Applications: Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

Features & Benefits:

- 6 to 8times faster than epoxy or urethane panel bonders
- · No welding required
- Guaranteed corrosion protection
- Can be riveted and resistance welded

OEM Approvals:

GM: Panel bonding per GM aftermarket

spec GM6449G

Mazda, Nissan: Corrosion repair Ford: Weld and rivet bonding

Honda:	Col	lision	repair
--------	-----	--------	--------

OILL	OULUII	rusun π	FANI#	GASE
7.6 oz (225 mL)	Green	108B	808498 10005	6
1.7 oz (50 mL)	Green	109B	808498 10006	12









Metal Bonding Adhesive (Slow) | BARE METAL

Applications: Panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

Features & Benefits:

- Long open time for large panel replacement
- Ideal for hot temperature conditions
- Guaranteed corrosion protection
- Can be riveted and resistance welded

OEM Approvals:

Chrysler: Weld bonding. Meets aftermarket metal bonding spec MSCD507

Honda: Collision repair

OEM Approvals: Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Gray	112B	808498 10036	6
1.7 oz (50 mL)	Gray	113B	808498 10008	12



Panel Bonding Adhesive (Slow) | BARE METAL

Applications: Metal and plastic panel bonding, weld and rivet bonding of quarter panels, rear body panels, roof panels, door skins, van side panels and outer truck bed panels

Features & Benefits:

- Paint and sand with no need to remove adhesive squeeze out
- No odor
- Bonds plastic, e-coat and bare metals
- Excellent corrosion protection

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Gray	208B	808498 10175	6



Crash Durable Structural Adhesive (Slow) | BARE METAL

Applications: Metal and plastic panel bonding, weld and rivet bonding of replacement structural and non-structural auto body panels

Features & Benefits:

- Higher impact strength performance
- Lifetime corrosion protection
- · Versatile and easy to use
- Bonds plastic, e-coat and bare metals
- · Weld immediately



Fiat, GM, PSA Peugeot, Tesla, Honda: Collision Repair

SIZE		COLOR	FUSOR #	PART #	CASE
6.59 oz (195 mL)	100	Blue	2098	808498 10172	6
Use Fusor 420 Mixing Tip.					
		À			







PART #	DESCRIPTION	WORK TIME	CLAMP TIME	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
808498 10168 808498 10169	Fusor 132/133 Plastic Repair Adhesive (Super Fast)	1 min	10 min	10 min	10 min	All types of plastic, SMC or fiberglass, ecoat, primed, painted metals	Urethane 2K	Black
808498 10029 808498 10030	Fusor 142/143 Plastic Repair Adhesive (Fast)	1 min	10 min	20 min	30 min	All plastic bumpers, SMC or fiberglass panels, ecoat, primed and painted metals	Urethane 2K	Black
808498 10106 808498 10107	Fusor 152/153 Plastic Repair Adhesive (Medium)	3 min	30 min / 5 min at 140°F (60°C)	90 min / 3 min at 140°F (60°C)	2 hours / 60 min with heat cure	All plastic bumpers, SMC or fiberglass panels, ecoat, primed, painted metals	Urethane 2K	Black
808498 10167 808498 10166	Fusor 114LG/114SM Plastic Finishing Adhesive (Fast)	2 min	-	20 min	60 min	Finishing adhesive for all plastics including PP, fiberglass, Metton®, Telene®, SMC, TEO, urethane and carbon fiber	Ероху 2К	Red
808498 10049	Fusor 102 Plastic Cosmetic Repair Adhesive (Fast)	2 min	-	20 min	60 min	Repair scratches and gouges on rigid plastics, SMC, fiberglass and GTX	Ероху 2К	Beige
808498 10043 808498 10001	100EZ/101EZ Plastic Repair Adhesive (Heat Set)	40 min		10 min @ 180°F (82°C)	60 min @ 180°F (82°C)	All types of rigid body plastics such as SMC, GTX, fiberglass, Metton® and carbon fiber	Ероху 2К	Beige
808498 10034 808498 10015	Fusor 141/140 Clear Plastic Bonding Adhesive (Fast)	1 min	5 min	30 min	30 min	Plastics, primed and painted metals, glass, wood and other surfaces	Urethane 2K	Clear
808498 10042 808498 10016	Fusor 147/148 Plastic Bonding Adhesive (Medium)	5 min	90 min / 15 min @ 140°F (60°C)	-	90 min / 15 min @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Brown
808498 10039	Fusor 127EZ Plastic Bonding Adhesive (Slow)	50 min	4 hours / 30 min @ 140°F (60°C)	_	4 hours / 30 min @ 140°F (60°C)	SMC, fiberglass, carbon fiber and other plastics to itself and primed metal	Urethane 2K	Off White
808498 10165	Fusor 120/T20 Composite Adhesive (Slow)	45 min	4 hours / 20 min @ 180°F (82°C)	60 min @ 180°F (82°C)	60 min @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Ероху 2К	Gray
808498 10038	Fusor T21 Composite Adhesive (Slow)	45 min	4 hours / 15 to 20 min @ 180°F (82°C)	60 min @ 180°F (82°C)	60 min @ 180°F (82°C)	Plastics, SMC and fiberglass to itself and primed metals	Ероху 2К	Gray
808498 10060	Fusor T19 Truck Plastic Bonding Adhesive (Super Fast)	3 min	30 min / 10 min @ 140°F (60°C)	=	-	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
808498 10050	Fusor T22 Truck Plastic Bonding Adhesive (Fast)	5 min	60 min / 15 min @ 140°F (60°C)	-	-	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige
808498 10033	Fusor T23 Truck Plastic Bonding Adhesive (Medium)	20 min	3 hours / 22 min @ 140°F (60°C)	-	-	SMC, fiberglass, carbon fiber and other plastics to itself and to primed metal	Urethane 2K	Beige

Technical data reported @ 70°F (21°C) unless noted.



Plastic Repair Adhesive (Super Fast) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

Features & Benefits:

- No need for plastic identification with use of Fusor 602EZ
- Sand and paint in 10 minutes
- Faster than plastic welding
- Stronger than stapling
- One product for all plastic repairs
- Undetectable feather edge

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	132	808498 10168	6
1.7 oz (50 mL)	Black	133	808498 10169	12

OEM Approvals:

GM, Ford, Chrysler: Collision/warranty repair Honda: Collision repair







Plastic Repair Adhesive (Fast) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

Features & Benefits:

- Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- · Sandable in minutes
- · No need for plastic identification with use of Fusor 602EZ

OEM Approvals:

OEM Approvals:

Ford: In-plant repair

Honda: Collision repair

GM: Meets plastic bonding/sealing specs

GM, Ford: Collision/warranty repair Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	142	808498 10029	6
1.7 oz (50 mL)	Black	143	808498 10030	12



Plastic Repair Adhesive (Medium) | SANDABLE

Applications: Structural and cosmetic repair of bumpers, bumper tabs, emblems and door trims, interior and exterior plastic repairs, cosmetic repairs

Features & Benefits:

- Enough work time for larger repairs; ideal for hot temperature conditions
- · Urethane chemistry for all structural and cosmetic repairs on bumpers
- Undetectable feather edge
- · Sandable in minutes
- · No need for plastic identification with use of Fusor 602EZ
- On demand cure with heat

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	152	808498 10106	6
1.7 oz (50 mL)	Black	153	808498 10107	12



Plastic Finishing Adhesive (Fast) | SANDABLE

Applications: Finishing adhesive for cosmetic repair of all plastic bumpers and body panels

Features & Benefits:

- No plastic identification is required
- No adhesion promoters needed
- Epoxy formula sands to a perfect feather edge in 20 minutes or less
- Use with or without mixing tip

OEM	Approva	ls
-----	---------	----

GM, Chrysler: Collision repair including

carbon fiber

Honda: Collision repair

	• .			
SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Red	114LG	808498 10167	6
1 7 oz (50 ml.)	Red	114SM	80849810166	12



Plastic Cosmetic RepaVir Adhesive (Fast) | SANDABLE

Applications: Cosmetic repair of scratches and gouges on body panels, hoods, decks and doors

Features & Benefits:

- Sands easily without loading sandpaper

OEM Approvals: Volvo: Composite repair

• No buil s-eyes, reau-ii	iroughs of halos			
SIZE	COLOR	FUSOR #	PART #	







Plastic Repair Adhesive (Heat Set) | SANDABLE

Applications: Structural and cosmetic repair of auto and heavy duty truck composite, fiberglass, SMC and carbon fiber panels

Features & Benefits:

- One product for all body panels
- Easily sands to a feather edge to provide undetectable repairs
- No bull's-eyes, read-throughs or halos

OEM Approvals:

Ford: Collision/warranty repair

GM, Chrysler: Collision/ warranty repair including carbon fiber

Nissan: Warranty repair Volvo: Composite repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	100EZ	808498 10043	6
1.7 oz (50 mL)	Beige	101EZ	808498 10001	12
Use Fusor 702 Fiberglass Cloth.				



Clear Plastic Bonding Adhesive (Fast) | SANDABLE

Applications: Rebuild bumper and headlight tabs, bond emblems, body side moldings, plastic backer panels, decorative vents, wheel opening moldings, rear wind deflectors and ground effects

Features & Benefits:

- · Clear urethane, non-yellowing structural adhesive
- · Fast cure
- · High-strength, flexible bond

Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	
10.1 oz (300 mL)	Clear	141	808498 10034	6
1.7 oz (50 mL)	Clear	140	808498 10015	12
DISTRIBUTE DESCRIPTION AND SOME				
Plastic Bonding Adhesis	re (Medium)	SANDABLE		



Applications: Installation and bonding of small body panels, spoilers, ground effects and headlight buckets

Features & Benefits:

- · High-strength structural adhesive
- · Easy to gun, urethane non-sag formula
- · Provides faster cure time for smaller interior and exterior parts

OEM Approvals:

Chrysler: SMC bonding TSBs; Windnoise sealing TSBs

Ford, GM, Honda: Meets SMC bonding specs;

SMC bonding TSBs Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Brown	147	808498 10042	6
1.7 oz (50 mL)	Brown	148	808498 10016	12



Plastic Bonding Adhesive (Slow) | SANDABLE

Applications: Plastic body panels, spoilers and ground effects; excellent for cab extenders, wood and other surfaces

Features & Benefits:

- · High-strength urethane structural adhesive
- Provides enough work time for bonding large primed metal or plastic parts

OEM Approvals:

GM: Plastic bonding per GM6448G aftermarket spec

•	Easy	to	gun,	non-sag	formula
---	------	----	------	---------	---------

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Off White	127EZ	808498 10039	6



Composite Adhesive (Slow) | STRUCTURAL/SANDABLE

Applications: Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears

Features & Benefits:

- plastic panels
- OEM epoxy formula
- · Great for heavy-duty truck repair
- High strength
- Excellent gap-filling properties

OEM Approvals: • One product bonds and finishes all

- GM: Plastic bonding and warranty repair per GM6448G aftermarket spec
- Ford, Paccar, Navistar, Peterbilt, Kenworth, Mack, Volvo: Warranty and collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
12.8 oz (380 mL)	Gray	120/T20	808498 10165	6
Use Fusor 420 Mixing Tip.				







Composite Adhesive (Slow) | SANDABLE

Applications: Bonding of fairings, body panels, spoilers, ground effects, wind deflectors, roofs and fender liners; repairs cracks, punctures and tears

Features & Benefits:

- One product bonds and finishes all plastic panels
- · OEM epoxy formula
- · Great for heavy-duty truck repair
- High strength

10.1 oz (300 mL)

Use Fusor 420 Mixing Tip.

• Excellent gap-filling properties

OEM Approvals	3
----------------------	---

GM: Plastic bonding and warranty repair per GM6448G aftermarket spec

Ford, Paccar, Navistar, Peterbilt, Kenworth, Mack,

80849810038

Volvo: Warranty and collision repair



Truck Plastic Bonding Adhesive (Super Fast) | STRUCTURAL

Gray

Applications: Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

T21

Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	T19	808498 10060	6



Truck Plastic Bonding Adhesive (Fast) | STRUCTURAL

Applications: Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	T22	808498 10050	6



Truck Plastic Bonding Adhesive (Medium) | STRUCTURAL

Applications: Installation of hood panels, roof panels, fenders, fender liners, fairings, spoilers, wind deflectors, cab extenders, ground effects, headlamp buckets and other body panels

Features & Benefits:

- Easy to gun, non-sag formula
- Substantially stronger than conventional adhesives

OEM Approvals:

Peterbilt, Kenworth: Warranty and collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 ml.)	Beige	T23	808498 10033	6





PART #	DESCRIPTION	WORK TIME	SKIN TIME	FULL EXPANSION	SAND TIME	PAINT TIME	SUBSTRATES	CHEMISTRY	COLOR
808498 10041 808498 10037	Fusor 123/126 Non-Sag Seam Sealer (Fast)	3 min	-	_	-	10 minutes or within 24 hours without a scuff	Bare or coated metal, SMC and fiberglass, and over 2K primer	Urethane 2K	White
808498 10045 808498 10013	Fusor 123EZ/126EZ Non-Sag Seam Sealer (Medium)	10 min	_	_	30 min	30 min	Apply over 2K primer	Ероху 2К	Blue
808498 10179 808498 10180	Fusor 123SL/126SL Non-Sag Seam Sealer (Slow)	45 min	_	_	_	10 min or within 24 hours without a scuff	Bare or coated metal, SMC and fiberglass, and over 2K primer	Urethane 2K	White
808498 10149	Fusor 019 Bare Metal Brushable Seam Sealer (Medium)	6 min	-	_	10 min	10 min (Paint within 24 hours)	Bare metal	Acrylic 2K	Green
808498 10075	Fusor 129 Controlled Flow Seam Sealer (Fast)	5 min	_	_	30 min	30 min	Bare or coated metal, SMC and fiberglass, and over 2K primer	Ероху 2К	Beige
808498 10010	Fusor 122EZ Self-Leveling Seam Sealer (Medium)	8 min	_	_	30 min	30 min	Apply over 2K primer	Ероху 2К	Blue
808498 10170 808498 10171	Fusor 800DT- M/803DTM Direct-To-Metal Adhesive/Sealant	-	25 min, 50% RH	-	-	Immediately or up to 30 days without a scuff	Bare or coated metal, SMC and fiberglass, and over 2K primer	Silane Terminated Polymer 1K	Neutral/ Black
808498 10158 808498 10159 808498 10160 808498 10161	Fusor 802HD/804HD/ 805HD/806HD High Definition Spraya- ble Sealer	_	20 min, 50% RH	-	-	Immediately or up to 30 days without a scuff	Bare or coated metal, SMC and fiberglass, and over 2K primer	Silane Terminated Polymer 1K	White/Gray/ Black/Beige
808498 10058 808498 10011	Fusor 121/124 Flexible Foam (Super Fast)	10 seconds	-	3 min	-	10 min	Apply over 2K primer	Urethane 2K	Black
808498 10129	Fusor 130 Rigid Foam (Super Fast)	25 seconds	-	4 min	-	10 min	Apply over 2K primer	Urethane 2K	Beige
666233 90998 666233 90999	FUSOR 231/234 Sound Dampening Material (Slow)	60 min		24 hours			Bare or coated metal, SMC and fiberglass, and over 2K primer	Urethane 2K	Black

Technical data reported @ 70°F (21°C) unless noted.



Non-Sag Seam Sealer (Fast) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where fast work time is desired

Features & Benefits:

• Duplicates factory appearance

- Gets the job done in 10 minutes
- · Bright white color
- · Can be used without primer

OEM Approvals:

Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	White	123	808498 10041	6
1.7 oz (50 mL)	White	126	808498 10037	12



Non-Sag Seam Sealer (Medium) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application in which a non-sag cosmetic seam sealer is required and where longer work time is desired

Features & Benefits:

- Duplicates factory appearance
- Longer work time

OEM Approvals:

GM, Ford: Collision/warranty repair Honda: Collision repair

•	San	da	hl	ρ
•	Oai	ıua	υı	17

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Blue	123EZ	808498 10045	6
1.7 oz (50 mL)	Blue	126EZ	808498 10013	12







Non-Sag Seam Sealer (Slow) | FULL BODIED

Applications: Duplicates factory look on the following seams: truck beds, tooled door skin, floor pan, core support and any other application requiring a longer work time, non-sag cosmetic seam sealer, or where high ambient temperatures are encountered

Features & Benefits:

- Duplicates factory appearance
- · Longer work time
- · Bright white color

0E	M	App	ro	vals:
		_		

OEM Approvals:

OEM Approvals:

Honda: Collision repair

Chrysler: Collision/warranty repair

Chrysler: Collision/warranty repair

GM: Used for in-plant repair

Honda: Collision repair

Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	White	123SL	808498 10179	6
1.7 oz (50 mL)	White	126SL	808498 10180	12



Bare Metal Brushable Seam Sealer (Medium) | BARE METAL SEALER

Applications: Truck bed seams, tooled door skin seams, floor pan seams, core support seams and other applications where bare metal, brushable cosmetic seam sealer is required

Features & Benefits:

- · Reduces cycle time
- Acrylic formula provides corrosion protection
- Perfect match to OEM brushed appearance

·	•			
SIZE	COLOR	FUSOR #	PART #	CASE
7.6 oz (225 mL)	Green	019	808498 10149	6



Controlled Flow Seam Sealer (Fast) | CONTROLLED FLOW

Applications: Excellent for roof channels, door seams, drip rails and truck bed floor seams and trunk seams

Features & Benefits:

- Epoxy formula provides smooth continuous beads with no gun lines
- No tooling required for factory look
- Sa
- C:

Sandable	
Can be used with or without primer	



COLOR FUSOR # PART # 80849810075

Self-Leveling Seam Sealer (Medium) | FLOWABLE

Applications: Drip rails, trunks, core support to aprons, roof seams and quarter panel to rear deck

Features & Benefits:

- Perfectly matches factory flow-grade seams
- · No tooling required
- · Permanently flexible
- Sandable
- · Color changes to indicate cure

0EM	Approva	ls:
-----	---------	-----

Ford: Collision/warranty repair per roof ditch

sealing requirements

Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Blue	122EZ	80849810010	6



Sound Dampening Material (Slow)

Applications: Sound dampening and sealing of:roof bows and roof skin, door skin and intrusion beam, quarter panel and inner structure, hoods and deck lids to inner structure. Ideal for overhead and vertical applications where a non-sag material is required.

Features & Benefits:

- Matches OEM performance
- Flexible seal with no shrinkage or read-through; non-expanding
- Extended work time for large applications
- · Non-sag formula remains in position on vertical and overhead surfaces
- Excellent adhesion to metal, e-coat and existing **NVH** materials

OEM Approvals:

Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
300ML	Black	231	666233 90998	6
50ML	Black	234	666233 90999	12





CASE

12

12



Direct-To-Metal Adhesive/Sealant | BARE METAL

Applications: Duplicates factory look on standing seams, cosmetic seams, truck bed seams, tooled door skin seams, floor pan seams, core support seams and brushed seams and any other application in which a non-sag cosmetic seam sealer is required

Features & Benefits:

- Single component direct-to-metal; no substrate primer required
- Non-sag

9.5 oz (281 mL)

9.5 oz (281 mL)

- · Holds brush marks without die back
- Weld-thru with no burn back

OEM Approvals	ì
----------------------	---

FUSOR #

800DTM

803DTM

Nissan, Ford: Collision/warranty repair Honda: Collision repair

80849810170

80849810171

10.00 10.20 10.00 10.00	10000 10000 10000	

High Definition Sprayable Sealer | BARE METAL

COLOR

Black

Neutral

Applications: Creates flexible textured seams on floor pans, trunk pans, strut towers, exterior and truck bed seams; restore rocker panel chip guard texture and trunk area texture. Duplicates weld-thru sealing

Features & Benefits:

- Extremely flexible won't crack or peel
- Perfectly matches all OEM seams and textures with use of Fusor 312 Dispensing Gun

OEM Approvals:

Chrysler, GM: Collision repair Ford: Collision/warranty repair Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE	
9.5 oz (281 mL)	White	802HD	808498 10158	12	
9.5 oz (281 mL)	Gray	804HD	808498 10159	12	
9.5 oz (281 mL)	Black	805HD	808498 10160	12	
9.5 oz (281 mL)	Beige	806HD	808498 10161	12	



Flexible Foam (Super Fast) | FLEXIBLE

Applications: Sound deadening, sealing and filling of: door skins to crash bar, hood panel to supports, trunk panel to supports and gas tank filler area

Features & Benefits:

- · Matches OEM sound deadening foams
- · Retains its memory with no shrinkage
- Expands to 10 times its size
- · Will not oil can
- · Will not absorb moisture or cause corrosion

UEIVI	Appro	vais:
-------	-------	-------

Ford, GM, Tesla, Volvo: Collision/warranty repair Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Black	121	808498 10058	6
1.7 oz (50 mL)	Black	124	808498 10011	12



Rigid Foam (Super Fast) | RIGID

Applications: Sound deadening, vibration dampening, reinforcement, sealing and filling of: fender rails, pillars, rocker panels, quarter panels and floors

Features & Benefits:

- Matches OEM sound deadening foams commonly found in pillars, front rails, rockers and rear supports
- Expands to 10 times its size
- Provides NVH properties for a quieter ride
- Tough compressive strength for maximum energy absorption
- Super fast application, providing full foam expansion in 3 minutes

OEM Approvals:

Ford, Chrysler: Collision/ warranty repair Honda: Collision repair

SIZE	COLOR	FUSOR #	PART #	CASE
10.1 oz (300 mL)	Beige	130	808498 10129	6







Clear Double-Sided Tape

Applications: Excellent adhesion of exterior/interior trim including emblems, side molding and bumper cover trim

Features & Benefits:

- Longer-sized roll for multiple jobs
- 33% stronger than competitive tapes
- UV, water and solvent resistant
- · Clear, non-detectable
- Repositionable
- Increased strength when used over Fusor 602EZ

Substrates:

Bonds metal, glass and plastic

OEM Approvals:

Chrysler: MS-CH59 Ford: WSB-M3G138-B GM: GM 3802M

SIZE	FUSOR #	PART #	CASE
7/8" x 60' x 0.045" (22.2 mm x 18.3 m x 1.14 mm)	180	808498 10132	6
1/2" x 60' x 0.045" (12.7 mm x 18.3 m x 1.14 mm)	181	808498 10133	6
1/4" x 60' x 0.045" (6.4 mm x 18.3 m x 1.14 mm)	182	808498 10134	6



Surface Modifier

Applications: Increases adhesion for plastic bumper repair and painting plastic parts. Also improves adhesion for double-sided tapes and seam sealing tapes

Features & Benefits:

- Open time from 10 minutes to 24 hours
- · California compliant
- No need for plastic identification when used with Fusor 132/133, 142/143, 152/153 or 141/140 adhesives
- Increases adhesion when used with Fusor 180/181/182

Substrates:

All plastic bumper covers, emblems, moldings and primed or painted metals

OEM Recommended

SIZE	FUSOR #	PART #	CASE
9 oz (255 mL)	602EZ	808498 10121	6



Reinforcing Mesh

Applications: Use for backing patches, bumper tabs and other reinforcements on plastic bumper covers.

Features & Benefits:

- Use with Fusor 132/133, 142/143, 152/153, 141/140 adhesives
- Use with Fusor 602EZ
- Use with Fusor 704 roller
- Finish with Fusor 114LG/114SM adhesive

Substrates:

Plastic bumpers, bumper tabs

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	700	808498 10023	12



Fiberglass Cloth

Applications: Use for structural backing support, pyramid patches and other reinforcements on SMC and fiberglass panels.

- Helps eliminate bull's-eyes in SMC repair
- Use with Fusor 100EZ/101EZ,120/T20 and T21 adhesives
- Use with Fusor 704 roller

SIZE	FUSOR #	PART #	CASE
4" x 12' (101.6 mm x 3.7 m)	702	808498 10025	12







Adhesion Prep/Cleaner

Applications: Removes silicones and contaminants. Use prior to applying adhesives, sealers and coatings. Removes brake dust from wheels

SIZE	FUSOR #	PART #	CASE
32 oz (946.3 mL)	703	808498 10026	12



Saturation Roller

Applications: Use with Fusor 700 and 702 for maximum adhesive saturation.

Features & Benefits:

- 3" (76.2 mm) anodized aluminum
- Ideal for building SMC patch panel repairs
- Helps compact the surface for strong repairs

SIZE	FUSOR #	PART #	CASE
3" (76.2 mm) Roller	704	808498 10027	6



Manual 50 mL Dispensing Gun

Applications: Use with 1.7 oz (50 mL) cartridges, which go with Fusor 400 mix tip

Features & Benefits:

- Dispenses both 1:1 and 2:1 cartridges with no conversion necessary
- Sturdy, high-quality, compact
- Fusor 517 replacement plungers available for Fusor 300 gun

SIZE	FUSOR #	PART #	CASE
50 mL Dispensing Gun	300	808498 10019	1
Replacement Plunger	517	808498 10120	6



Manual 300/225 mL Dispensing Gun

Applications: For use with 10.1/7.6 oz (300/225 mL) cartridges

Features & Benefits:

- Dispenses 1:1 and 2:1 cartridges with easy conversion
- · Features tempered, built-in nozzle cutter for easy controlled custom bead sizing
- 10:1 thrust ratio

SIZE	FUSOR #	PART #	CASE
300/225 mL	301	808498 10020	1



High Performance Manual 300/225 mL Dispensing Gun

Applications: For use with 10.1/7.6 oz (300/225 mL) cartridges

- Dispenses 1:1 and 2:1 cartridges with easy conversion
- Features tempered, built-in nozzle cutter for easy controlled custom bead sizing
- Sturdy, high-quality, compact
- 26:1 thrust ratio allows for easy dispensing of high viscosity adhesive
- Improved cartridge stabilization

SIZE	FUSOR #	PART #	CASE
300/225 mL	302	808498 10177	1







Pneumatic 380 mL Dispensing Gun

Applications: For use with GM-approved Fusor 120/T20 12.8 oz (380 mL) coaxial cartridges

Features & Benefits:

- Convertible from 1:1 to 2:1
- Includes air hose, regulator, 2 retaining nuts and 2 valve handles
- Rates for 100 psi (0.69 MPa) of dispensing pressure
- Super high-performance tool

SIZE	FUSOR #	PART #	CASE
380 mL	303	808498 10078	1



Pneumatic 300/225 mL Dispensing Gun

Applications: For use 7.6/10.1 oz (225/300 mL) cartridges

Features & Benefits:

- For use with 1:1 and 2:1 cartridges
- For fast and easy application of long beads

SIZE	FUSOR #	PART #	CASE
300/225 mL	304	80849810079	1



Sprayable Seam Sealer Gun

Applications: For use with Fusor HD sealers

Features & Benefits:

- When used with Fusor HD sealers, matches all OEM seam sealers, textured coatings and sound deadening applications
- Material and air flow adjustment controls allow for factory match seams

SIZE	FUSOR #	PART #	CASE
	312	80849810111	1



One-Component Manual Seam Sealer Gun

Applications: For use with Fusor HD and DTM sealers and Fusor 2098

Features & Benefits:

- B-Line 1/10th gallon cartridge gun with smooth high-powered 26:1 thrust ratio
- Excellent for all sealants especially handy for thicker materials and in cold weather

SIZE	FUSOR #	PART #	CASE
	313	80849810146	1



Pneumatic One-Component Caulking Gun

Applications: For use with Fusor HD and DTM sealers and Fusor 2098

- Rod driven pneumatic dispenser
- True air regulator controls flow, allowing for continuous bead application
- Includes quick change aluminum barrel, safety valve in handle, and air dump valve to instantly stop flow
- Rates for 0-100 psi (0.69 MPa) of dispensing pressure

SIZE	FUSOR #	PART #	CASE
	314	808498 10178	1







Red Power 50 mL Cartridges Mixing Tips

Applications: For use with all 1:1 and 2:1, 1.7 oz (50 mL) cartridges, which go with Fusor 300 dispensing gun

Features & Benefits:

- Size: 0.21" x 4.5" x 24-element (5.3 mm x 114.3 mm x 24-element)
- Bayonet mount
- 12 per package, or economy pack of 144

SIZE	FUSOR #	PART #	CASE
Standard Pack	400	808498 10076	12
Economy Pack	416	808498 10066	144



Red Power 300/225 mL Cartridges Mixing Tips

Applications: For use with all 1:1 and 2:1, 7.6/10.1 oz (225/300 mL) cartridges (except for Fusor 120/ T20, T21, T23, and 2098 which use the #420 Red Power Mixing Tip)

Features & Benefits:

- Size: 0.34" x 5.8" x 24-element (8.6 mm x 147.3 mm x 24-element)
- 12 per package, or economy pack of 144

SIZE	FUSOR #	PART #	CASE
Standard Pack	401	808498 10145	12
Economy Pack	417	808498 10067	144



Nozzle For 800 Series Sealer

Applications: For use with Fusor HD and DTM sealers

Features & Benefits:

• Threaded replacement nozzles for caulking tubes

SIZE	FUSOR #	PART #	CASE
	412	80849810130	12



Red Power Mixing Tips

Applications: For use with Fusor 120/T20, T21, T23 and 2098

Features & Benefits:

• Size: 0.42" x 6.8" x 24-element (10.7 mm x 172.7 mm x 24-element)

SIZE	FUSOR #	PART #	CASE
	420	202/0210073	12







Cabinet

Applications: Allows easy accessibility, stocking and storage of Fusor adhesives and accessories

- Keeps Fusor products dust free
- Makes evaluating inventory easier
- Size: 20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)
- Complete with shelf, mixer container and hanging racks for opened and unopened cartridges
- Black

SIZE	FUSOR #	PART #	CASE
20"w x 35"h x 12"d (0.51 m x 0.89 m x 0.3 m)	907	808498 10105	1
Available in black			









There's no shine like Mothers®.

Mothers® started in 1971 when tire dealer, Al Holloway, and a chemist friend invented a polish to remove oxidation from that era's then-new "mag" wheels. It was an instant hit with car enthusiasts. And the business blossomed from that single item to a comprehensive line of more than 40 new-appearance care products on the market today. Still owned and operated by the Holloway family, the company has pioneered new appearance car technologies based on its passion for painstaking research and superior quality.



Heavy Duty Rubbing Compound

Quickly removes 1200 grit and finer sand scratches from all types of refinish and factory-applied automotive paints. May also be used to remove heavy oxidation, car wash scratches, and other defects from paints that do not require sanding. Can be used with a wool or a foam pad.

DESCRIPTION	PART #	QTY/CASE
32 oz./946mL	078175 81232	6
1 gallon/3.785L	078175 81238	4



Rubbing Compound

Quickly removes 1500 grit and finer sand scratches from all types of refinish and factory-applied automotive paints. May also be used to remove light oxidation, car wash scratches, and other defects from paints that do not require sanding. Can be used with a wool or a foam pad.

DESCRIPTION	PART #	QTY/CASE
12 oz./355mL	078175 08612	6
32 oz./946mL	078175 81132	6
1 gallon/3.785L	078175 81138	4



Finishing Polish/Foam Pad Polish

Recommended for removal of compounding swirl marks from all types of refinish or factory-applied automotive paints. Also recommended to enhance color and add depth. Use with a foam pad.

DESCRIPTION	PART #	QTY/CASE
12 oz./355mL	078175 08712	6
32 oz./946mL	078175 83432	6
1 gallon/3 785l	078175 83438	4



Professional Dispenser Bottle

Dispense polishes and compounds with ease with Mothers® Professional Refillable Dispenser Bottle. It features a self-cleaning pop top to prevent clogging, keeping you focused on the task at hand, all while distributing the perfect amount of product every time. Buy in bulk, and dispense with ease with this high-quality dispenser bottle.

DESCRIPTION	PART #	QTY/CASE
12 oz./355mL	078175 80000	12



Instant Detailer

Instant Detailer is a silicone-free, body shop safe, paintable product that provides unparalleled depth and clarity. This unique formula is easy-to-use and completely safe on all types of paints, including clearcoats. Simply the fastest way to prep and shine any vehicle's paint in any body shop environment.

techtip

Use Instant Detailer with a clean microfiber towel during and after compounding and polishing, for a quick and easy cleanup.

DESCRIPTION	PART #	QTY/CASE
24 oz./710mL	078175 85624	6
1 gallon/3.785L	078175 85638	4
5 gallon/18.925L	078175 85645	1
32 oz. Chemical Resistant Sprayer	078175 85632	12







Machine Glaze

This high-quality polishing glaze quickly removes compound haze, fine scratches and swirl marks from all types of refinish or factory-applied automotive paints. Can be used with a wool or a foam pad.

DESCRIPTION	PART #	QTY/CASE	
32 oz /0/16ml	078175 82332	6	_



Hand Glaze

Recommended for added shine and protection, Professional Hand Glaze may be used after Professional Finishing Polish / Foam Pad Polish to achieve unparalleled depth and clarity. Hand Glaze is easy-to-use and completely safe on all types of paints.

DESCRIPTION	PART #	QTY/CASE
32 oz./946mL	078175 84532	6



Professional Metering Unit

The Mothers® Professional Metering Unit is the most efficient and precise way to ensure that Mothers® product concentrates are being diluted correctly for their specified use; at the push of a button. The unit is easy-to-install, easy-to-use, and it dilutes up to six different Mothers® product concentrates.

DESCRIPTION	PART #	QTY/CASE	
Metering Unit	078175 05986	1	



SCAN THIS CODE WITH YOUR SMARTPHONE TO VIEW METERING UNIT ASSEMBIY



Auto Wash (Concentrate)

Carefully crafted concentration of soaps and detergents that cleans away grease and grime with ease. This pH balanced, non-toxic, environmentally friendly, and biodegradable formula will not streak paint or remove existing wax. Can be used as a wet sanding solution when diluted 1/2 oz. per gallon of water.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 80138	4
5 gallon/18.925L	078175 80145	1
55 gallon/208.19L	078175 80155	1



All-Purpose Cleaner (Concentrate)

A highly-concentrated, biodegradable, multi-purpose cleaning solution for a wide variety of surfaces. Combining highly effective cleaners with a combination of water miscible solvents and surfactants, this All-Purpose Cleaner breaks down dirt and grease with ease. Perfect for cleaning carpets, fabrics, vinyl upholstery, engine compartments, fender wells, door jambs, and more. At higher concentrations, All-Purpose Cleaner is great for cleaning wheels, tires, whitewalls, and pre-spotting carpets before shampooing.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 87138	4
5 gallon/18.925L	078175 87145	1
55 gallon/208.19L	078175 87155	1
32 oz. Chemical Resistant Sprayer	078175 87132	12



Water-Based Degreaser (Concentrate)

Features a safe but effective blend of grease cutting surfactants and biodegradable solvents which lift away carbon and baked-on grime from a variety of surfaces. This non-toxic, super-concentrate is tough on tenacious filth, but will not stain paint or harm aluminum engine components.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 87538	4
5 gallon/18.925L	078175 87545	1
55 gallon/208.19L	078175 87555	1
32 oz. Chemical Resistant Sprayer	078175 87532	12







Glass Cleaner (Concentrate)

Mothers® Professional Glass Cleaner is a cost-effective and versatile cleaning concentrate formulated for all glass and virtually any surface. Ideal for use in high volume detail shops and car washes to remove tough grime, dirt, oily film, and fingerprints. Also great around the house, car, boat, or motor home, even on tinted window surfaces. It dries quickly and leaves behind a sparkling clean, streak-free shine, even in cold weather.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 87638	4
5 gallon/18.925L	078175 87645	1
32 oz. Chemical Resistant Sprayer	078175 87632	12



Wheel Cleaner (Concentrate)

Mothers® Professional Wheel Cleaner is a biodegradable cleaning concentrate for factory/OEM wheels and hubcaps, including painted, clearcoated, color coated and chrome. Professional Wheel Cleaner does not contain hydrofluoric, sulfuric or phosphoric acids, making it safer than conventional acid cleaners.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 87938	4
5 gallon/18.925L	078175 87945	1
55 gallon/208.19L	078175 87955	1
32 oz. Chemical Resistant Sprayer	078175 87932	12



Silicone-Free Dressing Concentrate

Mothers® Silicone-Free Dressing Concentrate is a pre-delivery prep product designed specifically for body shops. This silicone-free and water-based formula can safely be used on any rubber and trim.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 88638	4
5 gallon/18.925L	078175 88645	1
32 oz. Chemical Resistant Sprayer	078175 88632	12



Silicone-Free Dressing

Silicone-Free Dressing is a pre-delivery prep product designed specifically for body shops. This silicone-free and water-based formula can safely be used on any rubber and trim.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 88538	4
5 gallon/18.925L	078175 88545	1
32 oz. Chemical Resistant Sprayer	078175 88532	12



Vinyl & Rubber Dressing

This product is extremely versatile, and can be used on all vinyl, rubber and plastic surfaces, even engine compartments. Protects all these surfaces from the elements, and leaves a non-greasy, "like-new" finish that will not attract dust. This white silicone emulsion features a thick, creamy consistency that is easily sprayed or wiped onto any surface, and dries to a medium-high shine. Does not contain soaps, glycerin, or other extenders.

DESCRIPTION	PART #	QTY/CASE
1 gallon/3.785L	078175 88138	4
5 gallon/18.925L	078175 88145	1
32 oz. Chemical Resistant Sprayer	078175 88132	12



Spigot For 5 Gallon Container

Dispensing liquids from our Professional 5 gallon containers has never been easier. With a simple twist, our spigot allows for a quick and easy fill, ideal for our 32 ounce OSHA compliant secondary spray bottles. Made from chemical resistant High Density Polyethylene (HDPE), our 3/4" spigot will thread right into our 5 gallon container's lid.

DESCRIPTION	PART #	QTY/CASE
Spigot	078175 80005	6







Protect. Save. Renew.

Solar Gard window and body film act as body armor helping to guard the vehicle from damaging elements. The advanced design of tough, clear polymer creates an invisible layer of protection to the covered surface keeping the vehicle in like-new condition and eliminating 95% of ultraviolet rays for many years.



Window Film

Solar Gard® NR Supreme is a non-reflective, color-stable window film made from manufacturing technology that produces optimum heat- and glare-rejection from a non-metal film. NR Supreme provides superior optical clarity and complements factory glass with its protective qualities.

	20"	40"	60"
DESCRIPTION	PART #	PART #	PART #
NR Supreme™ 8	776960 90285	776960 90286	776960 90287
NR Supreme™ 15	776960 90288	776960 90289	776960 90290
NR Supreme™ 28	776960 90291	776960 90292	776960 90293
NR Supreme™ 40	776960 90294	776960 90295	776960 90296
NR Supreme™ 50	776960 90297	776960 90298	776960 90299
ROLL/CASE	1	1	1



Paint Protection Film

Clearshield Pro is a tough, clear barrier that acts like body armor for paint. It's an invisible layer that helps protect paint against chips, scratches and stains caused by road debris, insects and more.

	12"	18"	24"	30"	36"	60"
DESCRIPTION	PART #					
Clearshield Pro	776960 90300	776960 90301	776960 90302	776960 90303	776960 90304	776960 90305
ROLL/CASE	1	1	1	1	1	1



Door Edge Guard

The Clearshield Pro Door Edge Guard protects the door edges of a vehicle from potential scratches and chips, is as easy as a pinstripe to install. It is an invisible 8 mil door edge protector that is removable if needed warrantied against yellowing, cracking or peeling. (1) 1/2" x 100' roll yields up to (10) 4-door cars.

	1/2" x 100'
DESCRIPTION	PART #
Clearshield Pro Door Edge Guard	776960 90306
OTV/DACK	1



Total Inventory Management

OPTIMIZE YOUR REPAIR MATERIALS. IMPROVE YOUR BOTTOM LINE.



TRADEMARKS

Carborundum logo, Carbo CleanAir, Carbo Fire, Dri-Lube, Fibratex, Grip-On, Medalist, Merit, and SolarGard are registered trademarks to Saint-Gobain.

Carbo Cart, Carbo Cut, Carbo Finish, Carbo Gold, Carbo Premier Red, Carbo White Lightning, Carbo Clean Air Plus, Clip-On, EZ Block, EZ Repair, EZ Sheet, EZ Touch, EZ View, EZ Wipe, EZ Wrap, Flex-Loc, Legendary Innovation, Legendary Performance, Mirror Finish, Paint Check, ScuffGel, Sof-Block, Stick-On, Surface Prep, Surface Strip, "The Definition of Performance", Thin-Flex are trademarks of Saint-Gobain.

The American logo, Orange Mask, and Anchor are registered trademarks and TrimFast is a trademark of Intertape Polymer Group®, Inc.

The Mothers logo is a registered trademark of Mothers® Polishes • Waxes • Cleaners, Inc.

The Pliogrip logo is a registered trademark of Ashland® Inc.

DeVilbiss is a registered trademark DeVilbiss Automotive Refinishing.

Fusor is a registered trademark of LORD Corporation.

Vehicle images provided courtesy of Ford® Motor Company.

All trademarks and logos are property of their respective holders and used by consent.

^{*} Always wear protective gear. Photos in this brochure are for illustrative purposes only

PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

ADT MIIMDED	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	DADT MIIMDED	PAGE	PART NUMBER	PAGE
ART NUMBER 5539005593	13	05539518109	6	05539520312	6	PART NUMBER 05539521309	8	05539553390	16
5539005594	13	05539518110	6	05539520314	6	05539521311	8	05539553395	30
5539055457	13	05539518111	6	05539520315	6	05539521315	8	05539553396	16
5539500595	13	05539518112	6	05539520318	6	05539521316	8	05539553397	16
5539500596	13	05539518113	6	05539520319	6	05539521318	8	05539553400	16
5539500605	13	05539518114	6	05539520320	6	05539521319	8	05539553401	16
5539500606	13	05539518162	6	05539520321	6	05539521320	8	05539553402	16
5539500607	13	05539518163	6	05539520322	6	05539521324	8	05539553403	16
5539500608	13	05539518164	6	05539520323	6	05539521325	8	05539553409	5
5539501132	19	05539518165	6	05539520324	6	05539521336	8	05539553410	5
5539501209	14	05539518166	6	05539520325	6	05539521337	8	05539553411	5
5539501881	15	05539518167	6	05539520326	6	05539521338	8	05539553412	5
539503861	19	05539518168	6	05539520328	6	05539521342	8	05539553413	5
539503863	19	05539518169	6	05539520329	6	05539521343	8	05539553414	5
539504270	19	05539518170	6	05539520330	6	05539521344	8	05539553420	4
539506728	26	05539518171	6	05539520331	6	05539521345	8	05539553421	4
539509760	21	05539518172	6	05539520332	7	05539521348	8	05539553422	4
539509767	21	05539518173	6	05539520333	7	05539521349	8	05539553423	4
539509768	21	05539520055	23	05539520334	7	05539521350	8	05539553424	4
539510711	23	05539520076	23	05539520335	7	05539522538	18	05539553425	4
539510712	23	05539520252	6	05539520336	7	05539530893	16	05539553426	4
539510713	23	05539520253	6	05539520337	7	05539533867	31	05539553427	4
539510720	23	05539520254	6	05539520338	7	05539542089	13	05539553428	4
539510721	23	05539520255	6	05539520339	7	05539547329	14	05539553429	4
539510722	23	05539520256	6	05539520340	7	05539550000	5	05539554479	20
539510890	16	05539520257	6	05539520361	31	05539550001	5	05539554480	20
539510891	16	05539520258	6	05539520459	7	05539550002	5	05539554481	20
539510892	16	05539520259	6	05539520461	7	05539550003	5	05539554647	20
539512013	33	05539520260	6	05539520463	7	05539550004	5	05539554648	20
539512014	33	05539520262	6	05539520470	7	05539550005	5	05539554662	20
539512014	33	05539520263	6	05539520470	7	05539550006	5	05539554663	20
					7				
539512023	35	05539520264	6	05539520472	7	05539550007	5	05539554666	20
539512030	35	05539520266	6	05539520473	-	05539550008	5	05539554668	20
539512032	23	05539520267	6	05539520474	7	05539550009	5	05539554669	20
539512033	23	05539520269	6	05539520475	7	05539550010	5	05539560773	35
539512506	22	05539520270	6	05539520484	16	05539551776	18	05539561102	6
539512507	22	05539520271	6	05539520485	16	05539553326	9	05539561106	6
539512508	22	05539520272	6	05539520486	31	05539553327	9	05539561108	6
539512509	22	05539520274	6	05539520520	35	05539553330	10	05539561109	6
539512510	22	05539520275	6	05539520521	35	05539553332	22	05539561110	6
539512512	22	05539520276	6	05539520523	31	05539553333	22	05539563769	26
539512568	23	05539520277	6	05539520527	7	05539553334	5	05539563770	26
539514148	7	05539520278	6	05539520528	7	05539553335	5	05539563779	6
539515297	6	05539520282	6	05539520529	7	05539553336	5	05539563780	6
539515298	6	05539520283	6	05539520530	7	05539553337	5	05539563781	6
539515300	6	05539520284	6	05539520531	7	05539553338	5	05539563782	6
539515304	6	05539520285	6	05539520532	7	05539553339	5	05539563784	6
539515311	6	05539520287	6	05539520533	7	05539553340	5	05539563785	7
539515312	6	05539520288	6	05539520534	7	05539553341	5	05539563889	22
539515313	6	05539520289	6	05539520535	7	05539553342	5	05539563890	22
539515315	6	05539520294	6	05539520536	7	05539553343	5	05539563891	22
539515316	6	05539520295	6	05539520537	7	05539553344	5	05539563893	22
	6	05539520296	6	05539520538	7	05539553346	30	05539563895	26
539515317		05539520299	31	05539520330	8	05539553350	5	05539563897	32
	6	UJJJJJZUZJJ		05539521301	8	05539553377	13	05539563898	32
539518101	6	りどどうひどういういた			O		LO		JZ
539518101 539518104	6	05539520305	6						
539518101 539518104 539518105	6	05539520306	6	05539521302	8	05539553381	13	05539563899	32
539515317 539518101 539518104 539518105 539518106 539518107	6								

PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

ART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE	PART NUMBER	PAGE
5539567379	30	05539570572	9	05539599419	9	05539599507	5	07817587132	58
5539567381	30	05539570580	9	05539599420	9	05539599508	5	07817587138	58
5539567390	35	05539570581	9	05539599421	9	05539599509	5	07817587145	58
5539568509	27	05539570582	25	05539599422	9	05539599511	5	07817587155	58
5539568510	27	05539570583	25	05539599423	5	05539599512	5	07817587532	58
539568511	27	05539570584	25	05539599424	25	05539599513	5	07817587538	58
539568512	27	05539570585	25	05539599425	16	05539599514	5	07817587545	58
539569471	21	05539599304	34	05539599426	16	05539599515	5	07817587555	58
539569472	21	05539599305	34	05539599427	6	05539599516	5	07817587632	59
539569473	21	05539599306	15, 33	05539599428	6	05539599517	5	07817587638	59
539569926	6	05539599307	34	05539599429	6	05539599518	5	07817587645	59
	6		34	05539599430	6		5	07817587932	59
539569927		05539599308				05539599519			
539569934	15	05539599309	34	05539599438		05539599520	5	07817587938	59
539569935	15	05539599310	34	05539599439	17	05539599521	5	07817587945	59
539570019	6	05539599311	34	05539599440	17	05539599522	5	07817587955	59
539570020	6	05539599312	34	05539599441	17	05539599523	5	07817588132	59
539570021	6	05539599313	34	05539599442	17	05539599524	5	07817588138	59
539570022	6	05539599314	34	05539599443	17	05539599525	5	07817588145	59
539570121	17	05539599315	34	05539599444	5	05539599526	5	07817588532	59
539570122	17	05539599316	34	05539599447	28	05539599564	5	07817588538	59
539570123	17	05539599317	34	05539599450	28	05539599565	5	07817588545	59
539570124	17	05539599318	34	05539599452	28	05539599566	5	07817588632	59
539570125	17	05539599319	34	05539599453	29	05539599567	5	07817588638	59
539570401	32	05539599320	34	05539599454	29	05539599568	5	07817588645	59
539570402	32	05539599321	34	05539599455	29	05539599570	5	08714300214	26
539570403	32	05539599322	34	05539599456	29	05539599590	5	08714300216	26
539570404	32	05539599323	16, 34	05539599457	29	05539599591	5	08714300217	26
539570405	32	05539599324	34	05539599459	29	05539599592	5	08714300218	26
539570406	32	05539599338	35	05539599460	15	07660782786	28	08714300306	41
539570411	15	05539599343	10	05539599461	15	07792200268	24	08714300307	41
539570411	15	05539599344	10	05539599462	9	07792200552	42	08714300307	41
539570412	15	05539599345	10	05539599463	9	07792200553	42	08714300309	41
539570413	15	05539599346	10	05539599464	9	07792200554	42	08714300309	41
539570530	26	05539599347	10	05539599465	9	07792200555	42	08714300311	41
539570533	14	05539599348	10	05539599466	9	07792274977	24	08714300312	41
539570546	9	05539599349	10	05539599467	9	07792288400	42	08714300313	41
539570547	9	05539599362	24	05539599468	15	07792288401	42	08714300314	41
539570548	9	05539599363	24	05539599469	10	07792288402	42	08714300315	41
539570550	9	05539599365	31	05539599472	10	07792288403	42	08714300316	41
539570551	9	05539599370	9	05539599473	10	07817505986	58	08714300317	41
539570553	9	05539599371	9	05539599488	5	07817508612	57	08714300499	42
539570554	9	05539599372	9	05539599489	5	07817508712	57	08714300500	42
539570555	9	05539599373	9	05539599490	5	07817580000	57	08714300501	42
539570556	9	05539599376	9	05539599491	5	07817580005	59	08714300502	42
539570557	9	05539599381	14	05539599492	5	07817580138	58	08714300577	41
539570558	9	05539599383	21	05539599493	5	07817580145	58	08714300579	41
539570559	9	05539599385	21	05539599494	5	07817580155	58	08714300580	41
539570560	9	05539599386	21	05539599495	5	07817581132	57	08714300581	41
539570561	9	05539599387	21	05539599496	5	07817581138	57	08714300586	41
539570562	9	05539599389	21	05539599497	5	07817581232	57	08714300587	41
39570563	9	05539599390	21	05539599498	5	07817581238	57	08714300690	41
539570564	9	05539599393	10	05539599499	5	07817582332	58	08834164037	22
539570565	9	05539599394	10	05539599500	5	07817583432	57	63642500904	35
539570566	9	05539599395	10	05539599501	5	07817583438	57	63642500906	35
539570567	9	05539599413	9	05539599502	5	07817584532	58	63642505457	35
539570568	9	05539599414	9	05539599503	5	07817585624	57	63642506160	35
539570569	9	05539599416	9	05539599504	5	07817585632	57	63642542089	35
539570570	9	05539599417	9	05539599505	5	07817585638	57	63642543712	35
	9	05539599418	9	05539599506	5	07817585645	57	63642543714	35

PART NUMBER TO PAGE CROSS REFERENCE

There has never been a better time to take Carborundum for a test drive!

PART NUMBER	PAGE
66252838447	19
66252838448	19
66253371229	19
66261055103	22
66261055105	18, 22
66261089212	25
66261121523	16
66261121524	16
66261182685	42
66261182686	42
66261182688	42
66623311870	12
66623311871	12
66623311873	12
66623311874	12
66623311875	12
66623311876	12
66623311877	12
66623311878	12
66623311879	12
66623329280	18
66623329282	18
66623353328	9
66623353329	9
66623355578	23
66623355594	23
66623355595	23
66623355597	23
66623355598	23
66623355599	23
66623357276	23
66623357277	23
66623357278	23
66623357283	23
66623357284	23
66623357285	23
66623357290	23

PART NUMBER	PAGE
66623357292	23
66623357295	23
66623357296	23
66623357297	23
66623363869	11
66623363870	11
66623363871	11
66623363872	11
66623363877	11
66623363878	11
66623363879	11
66623363880	11
66623363881	11
66623363882	11
66623363884	11
66623363885	11
66623363887	11
66623363888	11
66623391000	38
66623391001	38
66623391003	38
66623391007	38
66623391008	37
66623391009	39
66623391010	38
66623391013	37
66623391014	37
66623391015	37
66623391016	37
66623391017	37
66623391018	37
66623391019	37
66623391306	40
66623391307	40
66623391308	40
66623391309	40
66623391310	40
66623391311	40

PART NUMBER	PAGE
66623391312	40
66623391313	40
66623391314	40
69957318100	42
69957318101	42
69957318102	42
69957318103	42
77696039321	18
77696090120	20
77696090122	20
77696090124	20
77696090126	20
77696090128	20
77696090130	20
77696090132	20
77696090134	20
77696090136	20
77696090138	20
77696090285	60
77696090286	60
77696090287	60
77696090288	60
77696090289	60
77696090290	60
77696090291	60
77696090292	60
77696090293	60
77696090294	60
77696090295	60
77696090296	60
77696090297	60
77696090298	60
77696090299	60
77696090300	60
77696090301	60
77696090302	60
77696090303	60
77696090304	60

PART NUMBER	PAGE
77696090305	60
77696090306	60
80849810001	45, 47
80849810005	43
80849810006	43
80849810007	43
80849810008	43-44
80849810010	49-50
80849810011	49, 51
80849810013	49
80849810015	45, 47
80849810016	45, 47
80849810019	53
80849810020	53
80849810023	52
80849810025	52
80849810026	53
80849810027	53
80849810029	45-46
80849810030	45-46
80849810033	45, 48
80849810034	45, 47
80849810035	43
80849810036	43-44
80849810037	49
80849810038	45, 48
80849810039	45, 47
80849810041	49
80849810042	45, 47
80849810043	45, 47
80849810045	49
80849810049	45-46
80849810050	45, 48
80849810058	49, 51
80849810060	45, 48
80849810066	55
80849810067	55
80849810073	55

PART NUMBER	PAGE
80849810075	49-50
80849810076	55
80849810078	54
80849810079	54
80849810105	56
80849810106	45-46
80849810107	45-46
80849810111	54
80849810120	53
80849810121	52
80849810129	49, 51
80849810130	55
80849810132	52
80849810133	52
80849810134	52
80849810145	55
80849810146	54
80849810149	49-50
80849810158	49, 51
80849810159	49, 51
80849810160	49, 51
80849810161	49, 51
80849810165	45, 47
80849810166	45-46
80849810167	45-46
80849810168	45
80849810169	45
80849810170	49, 51
80849810171	49, 51
80849810172	43-44
80849810175	43-44
80849810177	53
80849810178	54
80849810179	49-50
80849810180	49-50

66623357291 23

NOTES

NOTES

NOTES

POWERED BY PARTNERSHIP















DEVILBISSAUTOMOTIVE REFINISHING



FUSOR® Repair Adhesives



MOTHERS
Polishes Waxes Cleaners





With Nothing To Lose And Everything To Gain... Take Carborundum for a Cost-Savings Test Drive today!

Carborundum is 100% committed to bringing the best performing products to body shops at a fair price.

You can test drive Carborundum products in your shop when it's convenient for you. Simply let your Carborundum salesperson know when you'd like to test Carborundum in your shop. Our test drive program allows the technicians to do their regular work, without interruption, using Carborundum products at no cost in "real world" conditions. You're the final judge of performance. At the end of the day, the Carborundum salesperson will review the results, provide you with potential cost savings and convert the shop to Carborundum products if you like what you see.

There has never been a better time to look at ways to increase productivity and to reduce costs at absolutely no risk to you. There has never been a better time to take Carborundum for a Test Drive!

CARBO



the definition of **DIFFERENT**®

A Saint-Gobain Brand

www.facebook.com/carboauto | www.youtube.com/carboauto | www.carbo.com

CUSTOMER SERVICE:

USA Toll Free: 1 (877) 447-5359 Canada Toll Free: 1 (800) 263-6565

FORM #CA5000 REV. 01/19

© Saint-Gobain January 2019. The Carborundum logo is a registered trademark; "The Definition of Different" is a trademark of Saint-Gobain Abrasives.





