MADE IN THE



PolyGoliath Rubber Boots

Features:

- Polyblend compound offers superior resistance to fats, oils, and chemicals.
- Power Lug outsole has a multi-tread design that provides exceptional comfort and slip resistance.
- Available in plain toe and steel toe styles.

Material: Polyblend; PVC; Steel Toe/Midsole



SKU	Size	Height	Price
868-8968200.11	Men's 11	16 in Boot; 1/2 in Heel	





Paint-Riter® Valve Action® Paint Markers

Features:

- Xylene-free paint reduces user health risks and makes for a safer marking tool.
- Dura-Nib medium bullet tip resists wear to provide long marking life.
- Durable metal barrel and clip-cap reduce breakage and store easily in pocket.

SKU	Tip Size	Tipe Type	Color	Price
434-96820	1/8 in	Round Bullet	White	0-3,



Painter's Touch® 2X Ultra Cover® Gloss Spray Paints + **Primers**

Features:

- Premium general-purpose spray paint.
- Ultimate coverage.
- Apply to a variety of surfaces like wood, plastic, metal and more.





ALTAIR® 4XR Multigas Detectors

Features:

- · Send event notifications via text message with the ALTAIR Connect app.
- Confirm compliance quickly with the Bump LED and on-screen checkmark.
- Stay connected with alerts from the field for live gas readings, InstantAlert™ distress calls, MotionAlert™ man-down alarms, and non-compliance warnings.
- Survives 25 drops from 4 ft and an incidental 25-ft drop onto concrete.
- Waterproof and dustproof IP68 rated.

Includes: Charcoal Case; North American Charger

Run Time: 24 hr

SKU	Power Source	Sensor Type	Price
454-10178557	Rechargeable Li-Polymer Battery	XCell®	



Lens Cleaning Towelette With Dispensers

Features:

- Pre-moistened with C-Clear Anti-Fog. Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- · Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.









Air Tool Conditioner

Features:

- Restores and prolongs air tool life by cleaning, coating and lubricating while tools are in use.
- · Removes built-up calcium, varnish, sludge and water.
- Inhibits rust and increases RPMs.



SKU	Capacity Vol.	Price	
108-16-ATC	11 oz		

Citrus Based Degreasers

Features:

- Fast acting and easy to use.
- Spray on, wipe off, and rinse with clean water.



SKU	Capacity Vol.	Price
108-16-CBD	16 oz	

High Performance White Lithium Greases

Features:

- Low-odor, clean, white grease that lubricates by creating a protective barrier.
- Protects against moisture and oxidation and is safe for a wide range of applications.
- Provides low-friction lubrication and heavy-duty protection.



SKU	Capacity Vol.	Price
108-16-LG	11 oz	1. III) IV(IV)



PB™ Penetrating Catalysts

Features:

- · Great for loosening rusted or frozen screws and bolts.
- · Effective rust inhibitor.
- Non-evaporating lubricant.
- · Penetrates into hard-to-reach areas.
- · Suitable for brake, exhaust and suspension system jobs.
- Available with ProStraw[™] with Control Flow Technology[™] (108-16-PB-DS).



SKU	Capacity Vol.	Price
108-16-PB-DS	11 oz	MP GA

Premium Silicone Garage Door Lubricants

Features:

- · Silicone-based lubricant that leaves a tack-free film that won't accumulate dust and dirt.
- Formulated with Teflon[™] Fluoropolymer to help reduce friction and wear.
- · In some instances, its extreme pressure agents make it a suitable replacement for grease.
- It effectively helps stop squeaks associated with garage doors and mechanisms.

IASTI PARACE	TO WARE TO BE A STATE OF THE PARTY OF THE PA
CANCEL CAMBOOK CONTROL OF THE PARTY OF THE P	

SKU	Capacity Vol.	Price
108-16-GDL	9.3 oz	

CHAN NEL LOCK

Linemen's Pliers

Features:

- Built with technology that positions the rivet closer to the cutting edge so considerably
 - less force is required to cut.
- · Electrocoated protective finish to prevent rusting.
- · Laser heat-treated cutting edges.

Material: High Carbon Steel

I	SKU	Overall Length	Cutting Length	Price
	140-368-BULK	8.38 in	0.60 in	

CHAN NEL LOCK


SpeedGrip™ Tongue and Groove Pliers

Features:

- Fast and easy push-button adjustment locks securely into undercut channels.
- Safe-T-Stop® feature prevents finger pinch.
- Channellock Blue® molded non-slip grips for ultimate control and comfort.

9.51 in

No. of Adjustments: 15



2 in

5 Piece Plier Kit

Features:

· Comfort grip.

140-430X

 Specially coated for rust prevention.

Includes: Tongue and Groove Pliers: 9.5 in, 10 in; 7 in HL Diag Pliers; 8 in Long Nose; 6.5 in Slip Joint

Material: High Carbon Steel



SKU	Overall Length	Jaw Shape	Price
140-T00LR0LL-3	6-1/2 in; 7-3/4 in; 8 in; 9-1/2 in	Flat	1 70



Industrial Strength Cleaners & Degreasers

Features:

- A unique blend of non-toxic. biodegradable detergents that form a powerful, non-flammable, extra heavy-duty cleaner and degreaser.
- Is gentle enough for cleaning clothes, upholstery, and carpet, but strong enough for heavy duty projects like cleaning engines and construction equipment.



SKU	Capacity Vol.	Price
647-MG132	32 oz	
647-MG102	1 gal	

DEWALT

1-1/2 in Die Grinders

Features:

- · Motor provides high power and speed for all 1-1/2 in grinding applications.
- AC/DC capacity works off welding machines and generators for increased productivity and versatility.
- Precision 1/4 in collet securely holds all proper accessories (1/8 in reducing sleeve as optional accessory).

Watts: 350 W Amps: 4.2 A

Speed: 25,000 RPM

Includes: (2) Wrenches; Collet

SKU	Control Type	Collet Size	Wheel Diam	Price
115-DWE4887N	Paddle; No-Locking	1/4 in	1-1/2 in	
11 <mark>5-DWE4887</mark>	Paddle Switch with Lock-On Button	1/4 in	1-1/2 in	

20V MAX* XR® **Brushless Cordless Drill/Driver and Impact Driver Combo Kits**

Features:

- The Cordless Compact Drill / **Driver and Impact Driver tools** in this 20V MAX* XR Combo Kit have powerful motors to deliver maximum runtime.
- Perfect for the jobsite or the home tool collection, this kit offers enough versatility and power to tackle most jobs with ease.

Includes: (3) Bare Tools; (2) Batteries; (1) Charger; (1) Light; Contractor Bag

SKU	Voltage	Batt. Type	Price
115-DCK494P2	20 V	Lithium Ion	



DEWALT

20V MAX* XR® Compact Mid-Range Cordless Impact Wrenches

Features:

- Variable speed trigger helps to provide speed control.
- Compact and lightweight design for comfort when working in tight spaces.
- Includes the new Precision Wrench™
 Control feature, which helps add
 more control when using the tool in forward and reverse.
- Brushless motor for increased efficiency and runtime vs brushed model.
- LED light to help illuminate dimly lit areas.

Drive Size: 1/2 in **Speed**: 2000 RPM **Torque**: 800 ft-lbs

SKU	Voltage	Batt. Type	Price
115-DCF891B	20 V	Lithium Ion	

20V MAX* XR® Mid-Range Impact Wrenches with Detent Pin Anvil

Features:

- Tackle wide range of fastening applications with 600 ft-lbs of max fastening torque and 800 ft-lbs of max breakaway torque.
- Designed to help prevent overtightening in forward, and run-off in reverse, the wrench integrates a Precision Wrench™ setting to help optimize user control.
- Illuminate dark workspaces using the on-tool LED work light.
- Available as only tool or as a kit.

Drive Size: 1/2 in **Speed**: 2000 RPM **Torque**: 800 ft·lb

4

Includes: (2) Batteries; Charger; Contractor Bag; Tool

SKU	Voltage	Batt. Type	Price
115-DCF891P2	20 V	Lithium Ion	(11,275-5)



High Performance Angle Grinders with E-Clutch®

Features:

- E-Clutch® Activates in less than a tenth of a second when a pinch/stall event is detected.
- Dust Ejection System[™] provides durability by ejecting damaging dust and debris particles that enter the tool through the air intake vents.
- Power Loss Reset® prevents accidental restarts following a power disruption when the tool is left in the "on" position.
- Power tool shuts off before overheating with Power-Off®Advanced Overload Protection.

Includes: Grinder; Side Handle; Inner and Outer Flange; 5 in Type 27 Guard

SKU	Wheel Dia	Amps	Speed	Control Type	Price
115-DWE43114N	4.5 in to 5 in	13 A	9,000 RPM	Paddle; No Lock-On	
115-DWE43144	6 in	13 A	9000 rpm	Paddle; Trigger Lock-On	



Chesapeake Rubber Boots

Features

- Energy-absorbing Bay-Loc outsole.
- Lightweight modern design for long lasting comfort.
- 100% waterproof.

868-8677600.09

868-8677600.10

Marerial: PVC; Steel Toe Height: 16 in Boot; 1/2 in Heel



868-8677600.11	Unisex 11		
868-8677600.12	Unisex 12	1 (A. G. J. C. P.) S	
Plain Toe/Pull-On/Knee	Boots; Bay-Loc Sole Pa	ttern	
868-8677500.10	Unisex 10	0.02	

Unisex 9

Unisex 10





White Rubber Boots

Features:

- Slip-resistant Safety-Loc outsole for superior traction on slippery surfaces.
- PVC upper provides mild chemical resistance and helps comply with HACCP guidelines.
- Available in plain toe and steel toe styles.

Material: PVC

Height: 16 in Boot; 1/2 in Heel



SKU	Size	Price
868-8101100.07	Men's 7	
868-8101100.08	Men's 8	
868-8101100.11	Men's 11	
868-8101100.12	Men's 12	



Monarch Steel Toe Ankle Boots

Features:

- Seamless construction provides easy cleaning and all day comfort.
- Cleated outsole to prevent clogging on wet or muddy surfaces.
- Steel toe complies with ASTM F2413-11 with reinforced shank.

Material: Polyester; PVC; Steel

Height: 6 in



SKU	Size	Price
868-8660400.08	Size 8	" MAN
868-8660400.09	Size 9	
868-8660400.10	Size 10	
868-8660400.11	Size 11	




Estwing Drilling Hammers

Features:

- Molded on Shock Reduction Grip[™] reduces shock up to 50%.
- Forged in one piece.

Material: Steel
Handle Type: Straight





Framing Hammers

Features:

- Shock reduction cushion grip.
- Head and handle are fully polished and forged in one piece.
- Offers comfort and durability, while reducing vibrations caused by impact.

Material: Nylon; Steel Handle Type: Straight



SKU	Head Weight	Overall Length	Price
268-E3-22SM	22 oz	16 in	11/1/1

Tinner's Hammers

Features:

- Precision-balanced hammer helps make accuracy easy.
- Forged one-piece tool steel stands up to the most demanding tasks.
- Tight-mold, permanently bonded Shock Reduction Grip[®].
- · Made in the USA.

Material: Steel



Head Weight	Overall Length	Price
18 oz	12.5 in	



G Series 02 Perform® Thirst Quencher Instant Powders

Features:

 Hydrates with electrolytes that help them replace the carbs, electrolytes and fluids they lose when they sweat.

Package Yield: 2.5 gal



SKU	Flavor	Price
308-03969	Lemon-Lime	
308-03970	Orange	
308-33673	Frost Riptide Rush	1,6 (6)
308-33677	Glacier Freeze	
308-33691	Fruit Punch	



G Series 02 Perform® Thirst Quencher Instant **Powders Variety Pack**

Features:

- Variety Pack comes with an asortment of popular flavors.
- Hydrates with electrolytes that helps replace the carbs, electrolytes and fluids they lose when they sweat.

Package Yield: 2.5 gal





SKU	Flavors	Price
308-03944	Fruit Punch; Lemon-Lime; Orange; Frost Riptide Rush	61

G Series 02 Perform® Thirst Quencher Readyto-Drink Cans

Features:

- The most scientifically researched and game-tested way to replace electrolytes lost in sweat.
- Hydrates better than water.

Capacity Vol: 11.6 fl oz



SKU	Flavor	Price
308-00901	Lemon-Lime	
308-00902	Orange	
308-30903	Fruit Punch	

G Zero Powder Sticks

Features:

- Gatorade® G Zero in convenient single serve sticks.
- Sugar-free G Zero packs are designed for those on the go, simply add to a 20 oz bottle of water.
- Gatorade® G Zero is an ideal electrolyte solution for those interested in maintaining a ketosis state.

Package Yield: 16.9 oz





Gatorlyte® Rapid Rehydration Powder Sticks

Features:

- Developed by Gatorade's sports scientists, Gatorlyte® contains a specialized blend of five electrolytes to deliver rapid rehydration when you need it most, with lower sugar and no artificial sweeteners or flavors.
- 60% lower sugar than leading sports drink.
- No artificial sweeteners or flavors.

Package Yield: 16.9 oz



SKU	Flavor	Price
308-05281	Watermelon	
308-05282	Orange	114 7 11
308-05284	Cherry Lime	18 10 11

Powder Sticks

Features:

- · Powdered mix contains the same electrolyte formula found in the original Gatorade.
- The refreshing choice when you need to replace electrolytes lost from sweat while performing rigorous physical activity.
- Take these convenient packets with you anywhere

Package Yield: 16.9 oz



SKU	Flavor	Price
308-04700	Lemon Lime	11 11 174
308-04701	Orange	THE WAY TO
308-04702	Fruit Punch	

Propel® Instant Powder Packets



Features:

- Convenient, individual packets contain the same level of electrolytes as Propel unflavored water plus Vitamin C and Vitamin E.
- They have enough electrolytes to replace what you put out and keep you moving.

Package Yield: 16.9 oz

SKU	Flavor	Price
308-01087	Berry	· 8/1/19/1/
308-01088	Kiwi Strawberry	
308-01089	Raspberry Lemonade	
308-01097	Grape	1
308-01090	Lemon	W. 19 19 19 19 19 19 19 19 19 19 19 19 19



Machinists' Swivel Vises

Features:

 60,000 PSI tensile ductile iron body parts for mass and strength.

 Extra deep throat - this design gives you more working room where it counts.

Jaw Opening: 6-1/2 in Throat Depth: 3-1/2 in

Material: Harden Steel, Cast Iron



SKU	Base Type	Jaw Width	Price
825-28831	Swivel	4 in	

KENNEDY

K2000 Industrial Roller Cabinets

Features:

- High security tubular locking system.
- Ball-bearing drawer slides hold up to 120 lb per drawer.
- Choose from a variety of styles.

No. of Drawers: 7 Width: 29 in Depth: 20 in Height: 35 in



	Material: 18/2	0 ga Steel		
ì	SKU	Capacity Vol.	Load Cap.	Color
	444 207VD	10225 in3	120 lh/Drawer	Pod

120 lb/Drawer

Brown Wrinkle

444-29/XB	10235 in ³
11	
	•
KLEIR	

TOOLS

Broad-Head Bull Pins

Features:

- Drop-forged, heat-treated.
- Head design also reduces chance of pin slipping from the hand when aligning holes.
- Angled head and smooth blending of radii increase strength and reduce the danger of chipping.

Material: Forged Steel Finish: Black Oxide

SKU	Point Diam	Overall Length	Dia.	Price
409-3255	5/16 in	13 in	1-1/4 in	
409-3256	1/4 in	10 in	1-1/16 in	



Haven® Grips

Features:

- For use when light, compact grip is desired and where conductor damage is not a factor.
- Swing latch to help hold cable in the jaw.

Length: 6.3 in



SKU	Cable/Wire Size	Load Cap.	Width	Price
409-1604-20	0.5 in - 0.125 in	5000 lb	4.75 in	17
409-1604-20L	0.5 in - 0.125 in	5000 lb	4.75 in	7-14

Ironworker's Side-Cutting Square Nose Pliers

Features:

- Twists and cuts soft annealed rebar tie wire.
- High-leverage design, rivet is closer to the cutting edge for 46% greater cutting and griping power than other pliers designs.
- Spring-loaded action for self opening.
- Heavy-duty cutting knives designed to cut ACSR, screws, nails, and most hardened wire (409-D2000-7CST, 409-D2000-9ST).

SKU	Length	Jaw Shape	Material	Price
Heavy Duty Cutti	ng	1.38	VI. D. C.	
409-D2000-7CST	9.19 in	Square Nose	Forged Tool Steel	
9 in with Spring				
409-D201-7CST	9.19 in	Square Nose	Forged Tool Steel	17126
Aggressive Knurl, 9 in				
409-D201-7CSTA	9.25 in	Flat	Steel	1000
409-D2000-9ST	9.35 in	Square Nose	Forged Tool Steel	"/19%"
409-D213-9ST	9.35 in	Square Nose	Forged Tool Steel	

Load Rated Leather-Bottom Buckets

Features:

- Heavy duty No 1 canvas with Cycolac top ring and molded bottom.
- Leather coated bottom extends 3 in around sides.
- Polypropylene rope handle, reinforced with leather for water resistance and strength.
- Durable, straight-wall and tapered-wall buckets are made of heavy-duty canvas.

Height: 17 in Width: 12 in Material: Canvas

SKU	Depth	Carrying Method	Price
409-5104	17 in	Handle	
409-5104S	12 in	Handle w/ Swivel Snap	



MARKAL

Paintstik® Original B® Solid Paint Markers



Features:

- Solid paint marker combines the durability of paint in the convenience of a crayon.
- Superior marking performance on oily, icy, wet, dry, or cold surfaces.
- Weather-resistant and UV-resistant for long-lasting marks.
- · Works on rough, rusty, or dirty surfaces.

SKU	Color	Price
434-80220	White	N 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
434-80221	Yellow	in Management



Universal Faceshields

Features:

- Superior face protection from dangerous liquid splashes and flying debris.
- Compatible with a variety of brackets and face shields

Length: 16 in Height: 8 in

SKU	Lens Material	Color	Price
135-181640	PETG	Clear	
135-181540	Polycarbonate	Clear	
135-181542	Polycarbonate	Dark Green	



V-Gard® 500 Protective Caps and Hats

Features:

- Vented for improved air circulation.
- Lateral contours above the ear for easy integration of hearing protection.
- Glaregard underbrim to reduce reflective glare.
- Adjusting Method: 6 Point Ratchet

Material: Polyethylene

Type: Vented

SKU	Color	Size Group	Price
454-10034027	White	6 1/2 - 8	
454-10034028	Blue	6 1/2 - 8	
454-10034029	Yellow	6 1/2 - 8	
454-10034035	Hi-Viz Orange	Universal	
	The state of the s		



25 Person First Aid Kits

Features:

- 25 Person First Aid Kits, ANSI.
- Come with either a durable plastic or metal case.

Height: 3 in



SKU	Case Material	Length	Width	Price
101-25-3-FAKP	Plastic	10 in	7 in	42
101-25-9-FAKP	Plastic	10 in	7 in	
101-25-3-FAKM	Metal	11 in	7.5 in	16-1

Hand Scratch Brushes

Features:

- · Heavy-duty industrial brushes.
- Wire fill and length is unsurpassed.
- Durable wood handle.

Handle Material: Wood



SKU	Handle Type	Bristle Material	Bristle Rows	Price
102-BW-9112	Shoe	Stainless Steel	4 X 16	
102-BW-112	Shoe	Steel	4 X 16	
102-BW-104	Curved	Steel	4 X 18	
102-BW-9103	Curved	Stainless Steel	3 X 19	
102-BW-103	Curved	Carbon Steel	3 X 19	

Knot Cup Brushes

Features:

- Provides flexible brushing action and cost-effective performance in general purpose cleaning applications.
- Quickly completes rough surface-prep and debris-removal tasks.
- Features a threaded nut, making for smooth, efficient operation on angle grinders.

Wire Material: Carbon Steel



SKU	Dia.	Wire Size	Trim Length	Arbor Size	Price
102-3KC14	2-3/4 in	0.014 in	7/8 in	5/8 in - 11	
102-R3KC58	3 in	0.012 in	7/8 in	5/8 in - 11	
102-3KC58	3 in	0.02 in	1 in	5/8 in - 11	733 667
102-4KC58	4 in	0.02 in	1-1/4 in	5/8 in - 11	
102-6KC25	6 in	0.025 in	1-3/8 in	5/8 in - 11	
102-6KC58	6 in	0.014 in	1-3/8 in	5/8 in - 11	



Stringer Bead Wheel Brushes

Features:

 Very narrow face design primarily for weld cleaning and to access hard-to-reach areas.

Bristle Diam: 0.02 in **Wire Material**: Carbon Steel



SKU	Bristle Diam	Dia.	No. of Knots	Face Width	Price
102-4S58S	0.02 in	4 in	30	1/4 in	
102-R4S58S	0.02 in	4 in	30	4 in	
102-R4S58	0.02 in	4 in	30	4 in	
102-4\$58	0.02 in	4 in	30	4 in	
102-6S58	0.02 in	6 in	48	6 in	
102-6\$58\$	0.02 in	6 in	48	6 in	

White PTFE Thread Sealant Tapes

Features:

- Made of 100% PTFE
- Unlimited shelf life, no age deterioration, non-hardening.

Thickness: 0.0035 in



BEST WELDS

SKU	Length	Width	Price
102-1/2X260PTFE	260 in	1/2 in	
102-3/4X520PTFE	520 in	3/4 in	
102-1/2X520PTFE	520 in	1/2 in	
102-1X520PTFE	520 in	1 in	
102-1/2X1296PTFE	1296 in	1/2 in	
102-1X1296PTFE	1296 in	1 in	1/4 612 31



Anti-Spatters

Features:

- Helps protect MIG gun nozzles, contact tips, accessories and all welding zones during single- and multi-pass welding.
- Non-flammable.
- Reduces spatter build-up on MIG nozzles, prevents spatter adhesion.
- · Paint compatible.
- Contains no silicones, no fluorocarbons.

SKU	Capacity Vol.	Price
905-620-160Z	16 oz	
905-620-240Z	24 oz	



Cold Zinc Galvanizing Primers

Features:

- Zinc rich rust preventative finish for industrial applications.
- For use on galvanized and non-galvanized surfaces.
- No topcoat needed.

Temp. Range: 50° F - 90° F



SKU	Capacity Vol.	Price
905-SPRAY-GALV-14	14 oz	

Grade T Twin-Line Welding Hoses

Features:

- High quality Grade T twin-line welding hoses.
- · Hose cover resists flames and oils.

Pressure: 200 psi

Gas Type: Fuel Gases; Oxygen



SKU	Hose I.D.	Length	Price
907-T504	1/4 in	50 ft	
907-T1004	1/4 in	100 ft	
907-T508	3/8 in	50 ft	I to a good a
907-T1008	3/8 in	100 ft	TO NOT THE

Lube Pads

Features:

- Eliminates erratic wire feed caused by dust particles of flashing being trapped inside conduit lines.
- Contains no solvents, abrasives, carbon, sulfur, nitrogen, moly disulphide or silicon.
- Non-flammable, non-toxic.



SKU	Туре	Color	Price
905-LUBE-PAD-6PK-TREATED	Treated Wire Lube Pad	Silver	
905-LUBE-PAD-6PK-PLAIN	Plain Wire Lube Pad	White	1157/16



Nozzle Dip Gels

Features:


- Prevents spatter build up on nozzles and tips.
- Odorless—no unpleasant or harmful odors.

Base: Petroleum Jelly



SKU	Capacity Vol.	Price
905-NOZZLE-DIP	16 oz	

Prime-Action™ Paint Markers



Features:

- Permanent, durable, fast-curing, industrial-strength paint is a great choice when you need your work to last.
- Rugged Prime-Action[™] tip.
- Lead- and xylene-free paint.
- · Marks on all surfaces, whether they're clean, dirty or oily.
- Reversible tip switch easily between a bullet and chisel nib, depending on your needs.

Temp Range: -50° F - 150° F

SKU	Color	Tip Size	Tip Type	Price
900-PAINTMKR-YEL	Yellow	3/16 in; 1/8 in	Poly; Chisel/Bullet	3/1
900-PAINTMKR-WHT	White	2 mm x 4 mm	Poly; Reversible; Chisel/Bullet	


Rap-Around Pipe Templates

Features:

- Has a tough edge to protect from fraying and splitting which extends the life of the product.
- Clear vinyl container for protection in between jobs.



-	SKU	Size Group	Width	Length	Pipe Capacity	Price
	900-RA150	Small	2-1/2 in	2 ft	1 in - 3 in	THE STATE OF THE S
	900-RA160	Large	4 in	4 ft	3 in - 6 in	25018.
	900-RA170	Large	4 in	6 ft	3 in - 10 in	11/10/1
	900-RA179	Large	4 in	9 ft	6 in - 16 in	Margi
	900-RA177	X-Large	4 in	7 ft	4 in - 12 in	MITT
	900-RA184	X-Large	4 in	Custom	Varies - Varies	
	900-RA187	X-Large	7 in	Custom	Varies - Varies	



Welding Cables

Features:

- · Custom lengths available.
- · Custom assemblies available.
- Resistant to oil, chemicals, and solvents.

Jacket Material: EPDM Number of Conductors: 1

Voltage: 600 V Insulation: EPDM

Conductor Material: Stranded Copper



SKU	Cable/Wire Description	Insulation Thickness	Price
911-1-250	1 AWG x 250 ft	0.06 in	
911-1/0-250	1/0 AWG x 250 ft	0.08 in	
911-1/0-500	1/0 AWG x 500 ft	0.08 in	111
911-2/0-250	2/0 AWG x 250 ft	0.08 in	
911-2/0-500	2/0 AWG x 500 ft	0.08 in	
911-4/0-250	4/0 AWG x 250 ft	0.08 in	

RAYOVAC

Ultra Pro Alkaline Reclosable Batteries

Features:

- Specially engineered for professional use.
- Mercury-free formula.
- Reclosable container helps organize and protect batteries from damage and short circuiting.




SKU	Batt. Size	Voltage	Price
620-ALAAA-24PPJ	AAA	1.5 V	71 11 10

Ultra Pro™ Alkaline Batteries

Features:

 These powerful cells make excellent power sources for a wide variety of household devices including smoke alarms, security systems, radios, and much more.



Mercury-free.

Voltage: 1.5 V

SKU	Batt. Size	Price
620-ALD-12PPJ	D	



RAYOVAC

Ultra Pro™ C Alkaline Batteries

Features:

- General purpose batteries to power flashlights, toys, and a wide variety of other electronics.
- Mercury-free cells perform well under prolonged use and high-drain demands.
- Resealable container keeps them organized and protects them from short-circuiting and other potential damage.

Voltage: 1.5 V

SKU	Batt. Size	Price		
620-ALC-12PPI	C			



RUST-OLEUM

High Performance V2100 System Enamel Spray Paints

Features:

- High-output tip covers 50% faster.
- Dries to the touch in 20 minutes.
- Withstands heat to 200°F.
- Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities; VOCcompliant nationwide.

Capacity Vol.: 15 oz



RIDGID

TRISTAND® Portable Chain Vises

Features:

- Benders are located at the rear of the base and three tool hangers are provided.
- Integrated ground lug provides a conductive surface to connect the weld ground.



RUST-OLEUM

SKU	Pipe Cap.	Price
632-36273	1/8 in - 6 in	
632-36278	1/8 in - 12 in	


RUST-OLEUM

Industrial Choice® M1600/ M1800 System Precision-Line Inverted Marking Paints

Features:

- Creates accurate, easy-to-read markings in bright, durable colors.
- Resists early fading and chalking.
- Dries in under 5 minutes.

Capacity Vol.: 12 oz



SKU	Color	Price
647-V2115838	Silver Aluminum	
647-V2119838	Stainless Steel	JW MARKET TO THE
647-V2123838	Light Blue	
647-V2124838	Safety Blue	
647-V2125838	Deep Blue	12/11/2010
647-V2133838	Safety Green	The Law
647-V2137838	Dark Green	7 7 7 7
647-V2138838	Hunter Green	N. V. JUST II.
647-V2143838	Safety Yellow	10111
647-V2147838	Industrial Yellow	
647-V2148838	Equipment Yellow	
647-V2155838	Safety Orange	
647-V2156838	Equipment Orange	1,100
647-V2163838	Safety Red	DEPOSE NO
647-V2164838	Bright Red	b The Marine
647-V2167838	Safety Purple	1 11 17 1
647-V2169838	Red	AND AND AND
647-V2171838	Tan	
647-V2175838	Chestnut Brown	West of the second
647-V2177838	Semi-Gloss Black	The same of the same of
647-V2178838	Flat Black	
647-V2179838	Gloss Black	
647-V2182838	Gray	
647-V2183838	Light Machinery Gray	What are a
647-V2187838	Dark Machinery Gray	A THE
647-V2190838	Flat White	AT I W.
647-V2192838	Gloss White	MILITARY
647-V2196838	Fleet White	177



Industrial Choice 1600 System Multi-Purpose Enamel Sprays

Features:

- Multi-purpose spray paint developed for everyday painting and industrial painting projects.
- Dries 12 minutes to the touch.
- High solids provides complete, even coverage.
- · Durable finish, resists chipping, fading and peeling.



Semi-Flat Black

Universal Gray

Machinery Gray

Overall® Economical Fast-Drying Enamel Spray Paints

Features:

- Use for indoor/outdoor applications.
- Economical, fast-drying industrial enamel spray.

647-1678830

647-1686830V

647-202214

 Great for a variety of spray paint needs where durability and long-term quality are not required.

Capacity Vol.: 16 oz



SKU	Color	Price
647-V2404830V	Black	
647-V2402830V	Black	A MAIN COLOR
647-V2407830	Red	



Windex® Bag-in-Box **Dispensers**

Features:

RUST-OLEUM

OHOICE

- · Time-saving, no-mess, economical, stackable bag-in-box dispenser or ready-to-use glass and multi-surface cleaner for refilling plastic spray bottles.
- · Cleans with Ammonia-D® for a streak-free shine.
- Built-in handles and easy-to-pour dispenser spigot.
- Contains no phosphates.

SKU	Capacity Vol.	Price
889-696502	5 gal	//4/2014



Southwire

Polar/Solar® Extension Cords

Features:

- Reinforced blades help prevent accidental bending or breaking.
- Heavy-duty strain relief protects electrical connections resulting in longer cord life.
- Outer jacket is flame retardant and water resistant.

No. of Outlets: 1 Voltage: 125 V



RoyalFlex UL Extension Cords

Features:

- Heavy duty rubber extension cord.
- · Excellent oil, chemical and abrasion resistance.
- Temperature Rating -40°C to -90°C.
- Lit Ends to show power is connected.

No. of Outlets: 1

Conductor Size: 12 /3 AWG

Amps: 15 A

SKU	Length	Voltage	Price
172-036790008	100 ft	300 V	LIZEY TE



lindex



Tri-Source™ Polar/Solar Plus® Multiple Outlet Cords

Features:

- Heavy-duty strain relief protects electrical connections resulting in longer cord life.
- Outer jacket is flame retardant and water resistant.
- Reinforced blades help prevent accidental bending or breaking.

No. of Outlets: 3

Conductor Size: 12/3 AWG

Amps: 15 A

ı	SKU	Length	Voltage	Price
	0.1525 in	50 ft	125 V	

Stripes® Extension Cords

Features:

- Lighted female ends let you know there is power.
- Molded male and female ends are water resistant.

No. of Outlets: 1

Conductor Size: 12/3 AWG

Amps: 15 A

SKU	Length	Voltage	Price
172-02549USA1	100 ft	125 V	1000

Tri-Source™ Polar/ Solar® Multiple Outlet Cords

Features:

- Reinforced blades help prevent accidental bending or breaking.
- Heavy-duty strain relief protects electrical connections resulting in longer cord life.
- Outer jacket is flame retardan

is flame retardant and water resistant.

No. of Outlets: 3

Conductor Size: 12/3 AWG

Amps: 15 A

		The second secon	
SKU	Length	Voltage	Price
172-03489	100 ft	125 V	F 7 7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1



FatMax[®] Classic Tape Measures

Features:

- Durable high-impact case with non-slip rubber stands up to job site demands.
- Easy to read measurements with large font numbers.
- · Standard stud markers.



SKU	Blade Length	Price
680-33-716	16 ft	11/11/11/11
680-33-725	25 ft	APA TA
680-33-730	30 ft	
680-33-735	35 ft	Table (A. II.)
680-33-740L	40 ft	AVENIAN I

Heavy Duty Utility Blades

Features:

- Fits most standard utility knives.
- Precision honed edge.
- 0.025 in Blade thickness.

No. of Cutting Edges: 1 Blade Shape: Trapezoid



SKU	Quantity	Wt.	Price
680-11-921A	100 Pk. with Dispenser	0.01 lb	
680-11-921B	400 per Box	0.03 lb	



Extractor Sets

Features:

- Strong, heat-treated tool steel.
- Corresponding drill-bit size stamped on each tool.
- · Corrosion-resistant finish.



SKU	Extractor Screw Diam.	Includes	Price
	1/8 in; 3/16 in; 7/32 in; 5/16 in; 3/8 in	Pouch	
577-9500B	1/8 in; 3/16 in; 7/32 in; 5/16 in; 3/8 in; 7/16 in; 17/32 in; 5/8 in; 3/4 in; 1 in	Blow Molded Box	

MADEINTHE



Hose Repair Kits

Features:

- Hose repair kits come in convenient durable, plastic case with full color label and description chart.
- Kits available with and without crimp tool.



SKU	Size	Hose I.D.	Price
312-CK-30	B-Size	1/4 in	
312-CK-26	B-Size	1/4 in	
312-CK-28	B-Size	1/4 in	
312-CK-24	B-Size	3/16 in; 1/4 in Plain 5111	J. A
312-CK-5	B-Size	3/16 in; 1/4 in Plain 5111	1, (
312-CK-6	B-Size	5/16 in; 3/8 in Plain 5111	
312-CK-31	A-Size; B-Size	1/4 in	
312-CK-22	A-Size; B-Size	1/4 in	
312-CK-1	A-Size; B-Size	3/16 in; 1/4 in Plain 5111	PIN
312-CK-20	A-Size; B-Size	3/16 in; 1/4 in Plain 5111	1/4/
312-CK-27	A-Size; B-Size	3/16 in; 1/4 in Plain 5111	
312-CK-3	A-Size; B-Size	3/16 in; 1/4 in Plain 5111	



3.5 gal Industrial Concrete Open Head Sprayers

Features:

- Tri-Poxy lined steel tank provides triple protection against rust, corrosion and damage from denting.
- Featuring a large 4 in-wide mouth opening for easy filling and cleaning.
- Brass pump, wand, nozzle and shut-off with lock-on feature.
- Reinforced hose with thread fittings.

Operating Pressure: 40 to 60 psi Extension Type: Brass Wand

Hose Length: 48 in

Body Material: Tri-Poxy® Steel

Includes: Tank; Brass Wand; Reinforced Hose

Wt.: 11 lb

SKU	Capacity Vol.	Extension Length	Price
139-1949	3-1/2 gal	24 in	



Ultra Pro Alkaline Reclosable Batteries

Features:

- Specially engineered for professional use.
- Mercury-free formula.
- Reclosable container
 helps organize and
 protect batteries from damage and short circuiting.

SKU	Voltage	Batt. Size	Price
620-ALAA-24PPJ	1.5 V	AA	

simple green

Industrial Cleaners and Degreasers

Features:

- All-purpose cleaner, degreaser and deodorizer.
- Concentrate dilutes up to 1:30.
- Easily cuts through thick grease, oils, hydraulic fluids and built-up grime on all washable surfaces.
- Non-abrasive, non-corrosive, non-flammable and VOC compliant formula.

SKU	Capacity Vol.	Price
676-2710200613005	1 gal	



CONCRETE

Southwire[®]

Stripes® Extension Cords

Features:

- Lighted female ends let you know there is power.
- Molded male and female ends are water resistant...

No. of Outlets: 1

Conductor Size: 12/3 AWG

Amps: 15 A

SKU	Length	Voltage	Price	
172-02548USA1	50 ft	125 V		



